
# SYSPAL®

# ESSENTIALS

**ISSUE 32** 

STAINLESS STEEL HYGIENIC ESSENTIALS FOR EVERY APPLICATION



MADE IN BRITAIN N

# CONTENTS



# O9-11 Hygiene, Health & Safety -Polybag Holders & Bins -Health & Safety Equipment -Social Distancing Screens -Spray Accessories -Chemical Storage









# Trolleys & Trays -Industrial Containers -30x18" Trolleys & Trays -Freezer Trolleys -Ingredient Trolleys -Gastronorm Trolleys & Trays -Dollies & Roller Bogies -Euro Containers -Euro Container Handling









Reel Handling &
Processing Equipment
-Reel Rack Mobile
-Mobile Reel Trolley
-Single Reel Trolley
-Reel Storage Rack
-Mobile Reel Cradle Rack
-Mobile Reel Cradle Rack
-Bespoke Pallets
-Reel Storage Cabinet
-Reel Lifter
-Single Bin Solution

# Focus on hygiene

SYSPAL has been manufacturing stainless steel hygienic essentials for over 40 years. We understand the ever increasing requirement for durable, easy to clean products that are fit for purpose.

Our most recent product launches include a face mask dispenser unit and social distancing screens and we continue to design and develop products that improve best practice processes and meet new regulations for hygiene within the workplace.

Below are just some of our hygiene focused products, visit our website to view more or call us today to discuss your hygiene requirements.



#### **Hygicontrol Compact Units**

See page 34 for more information

1 Unit L2610 x W1260 x H1630mm 567/URK/V300



#### Sanitising Conveyor

See page 38 for more information

Call for pricing and further information



#### Multi Purpose PPE Dispenser

See page 16 for more information

| ĺ | Single | L300 | Х | W235 | x H345mm | 548/016230 |
|---|--------|------|---|------|----------|------------|
|   | Twin   | L600 | Х | W235 | x H345mm | 548/016232 |
|   | Triple | L900 | Х | W235 | x H345mm | 548/016233 |



#### Stainless Steel Ingredients Bin

See page 24 for more information

| 61L  | L590 | x W290 | x H740 | 548/039004 |
|------|------|--------|--------|------------|
| 87L  | L590 | x W380 | x H740 | 548/039005 |
| 132L | L590 | x W530 | x H740 | 548/039006 |

## Product Spotlight - Transfer Hatches

Stainless steel transfer hatches allow the transfer of materials, products or packaging between high care rooms and low care support areas, minimising the risk of airborne unhealthy contamination.



Call for pricing and further information

Please call our Sales team if you do not find what you are looking for in this brochure.

#### SINKS & WASHROOM DYSON AIRBLADE™ WASH+DRY HAND DRYER SINKS





#### Sinks with Dyson Airblade™ Wash+Dry hand dryer

Stainless steel hygienic sinks featuring Dyson Airblade Wash+Dry hand dryers. Airblade<sup>TM</sup> mounted onto either the backsplash or the basin of the sink. 5 year guarantee. Unheated, filtered air removes water from hands. Touch-free operation dries hands hygienically without the need for paper towels.

| Wall Mounted Sink                | 1-5 stations available     |
|----------------------------------|----------------------------|
| Wall Mounted Back to Back Sinks  | 6,8 &10 stations available |
| Basin Mounted Sink               | 1-5 stations available     |
| Basin Mounted Back to Back Sinks | 6,8 &10 stations available |

# WRAS Approved Knee Valve \*\*\*2 year warranty on sensor\*\*\*







Battery Sensor

#### 1 - 6 Station Hand Wash Sinks

- 304 grade stainless steel
- WRAS approved knee valve and flexible pipe
- 500mm centres
- Optimum working space
- Sensor can be battery or mains powered

|           |                       |              |              | · · · · · · · · · · · · · · · · · · · |
|-----------|-----------------------|--------------|--------------|---------------------------------------|
| 1 station | L575 x W420 x H537mm  | 517/006011-K | 517/006011-M | 517/006011-BS                         |
| 2 station | L1075 x W420 x H537mm | 517/006012-K | 517/006012-M | 517/006012-BS                         |
| 3 station | L1575 x W420 x H537mm | 517/006013-K | 517/006013-M | 517/006013-BS                         |
| 4 station | L2075 x W420 x H537mm | 517/006014-K | 517/006014-M | 517/006014-BS                         |
| 5 station | L2575 x W420 x H537mm | 517/006015-K | 517/006015-M | 517/006015-BS                         |
| 6 station | L3075 x W420 x H537mm | 517/006016-K | 517/006016-M | 517/006016-BS                         |

Knee Push

#### **ECO-RANGE**





#### Sink Pedestal Units

Available on 1-5 station sinks (both knee push and sensor). This separate conversion kit does not come as standard with SYSPAL sinks unless ordered, sinks sold separately.



Mains Sensor

#### Mini Hand Wash Sink

Small and compact unit. Chrome plated spout and knee push valve. Includes stainless steel braided hose from knee push valve to spout. Can be mounted on flat wall or corner positioned. WRAS approved knee valve and flexible pipe.

#### 1 Station Hand Wash Eco Sink

- Knee push or sensor models available
- 304 grade stainless steel
- WRAS approved knee valve and flexible pipe
- Optimum working space for operatives
- Sensor can be battery or mains powered

| Knee Push | L500 x W350 x H377mm | 517/038011-K  |
|-----------|----------------------|---------------|
| Battery   | L500 x W350 x H377mm | 517/038011-BS |
| Mains     | L500 x W350 x H377mm | 517/038011-M  |

| Pedestal (1-2 Station)     | 517/012010 |
|----------------------------|------------|
| Pedestal Set (3-5 Station) | 517/012010 |

| П | Mini | L300 x W300 x H270mm | 517/004000-K |
|---|------|----------------------|--------------|

#### **SINKS & WASHROOM BELFAST, UTENSIL, JANITORIAL SINKS & TAPS**

Plumbing Requirements: Outlet 11/2" (M) BSP. Inlet to suit tap Ø15.





#### **Belfast Sinks**

Heavy gauge sinks, suitable for cleaning large utensils, trays and machine change parts. The fully welded support frame has adjustable feet. Supplied with stand pipe strainer. Splash back upstand.

| Small  | L772 x W871 x H1070mm  | 517/001003 |
|--------|------------------------|------------|
| Medium | L986 x W870 x H1086mm  | 517/001007 |
| Large  | L1316 x W871 x H1070mm | 517/001001 |

#### Single Bowl, Single Drainer Sinks

Large single bowl sink with a single drainer. Drainer available on the left or right hand side. 6 x legs. 2 x centrally positioned tap holes. Splash back upstand. Fully stainless steel construction. All legs have adjustable feet.

| Left Dr L2060 x W872 xH1086mm   | 517/001072L |
|---------------------------------|-------------|
| Right Dr L2060 x W872 x H1086mm | 517/001072R |

#### Double Bowl, Single Drainer Sinks

 $6~\rm x$  legs.  $4~\rm x$  centrally positioned tap holes. Splash back upstand. Fully stainless steel construction. All legs have adjustable feet. Sink available with a left or right hand drainer.

| Left Dr  | L2060 x W872 x H1086mm | 517/001080L |
|----------|------------------------|-------------|
| Right Dr | L2060 x W872 x H1086mm | 517/001080R |



#### Single Bowl, Double Drainer Sinks

Centrally positioned sink with double drainer. 8 x legs. 2 x tap holes. Splash back upstand. Fully stainless steel construction. All legs have adjustable feet.

| Double Dr | L1789xW876xH1090mm | 517/001073 |
|-----------|--------------------|------------|
|           |                    |            |



#### **Triple Bowl Sinks**

6 x legs. 6 x centrally positioned tap holes. Splash back upstand. Fully stainless steel construction. All legs have adjustable feet.

| Triple Bowl | L2000 x W867 xH1070mm | 517/001101 |  |
|-------------|-----------------------|------------|--|
|             |                       |            |  |



#### **Utensil Sinks**

Options include: single bowl, single drainer; double bowl with a single or double drainer - pressed bowl: L600 x W500 x H300mm. Removable shelf.

| S Bowl SDr | L1200 x W650 x H850mm | 517/036003-L/R |
|------------|-----------------------|----------------|
| D Bowl SDr | L1800 x W650 x H850mm | 517/036005-L/R |
| D Bowl DDr | L2400 x W650 x H850mm | 517/036006-D   |



#### Wall Mounted Belfast Sink

Heavy duty wall mounted underframe single bowl with right hand drainer measuring 1078mm. Cantilever shelf under draining board with clearance of 400mm. Constructed from 304 grade stainless steel.

| Sink | L1650 x W 700 x H 751 mm | 517/001341 |
|------|--------------------------|------------|
|      |                          |            |



#### Water Saving Spray Hoses

Water saving spray hoses to suit the SYSPAL utensil sink range.

| Mini Spray Hose | H610mm  | 517/27152 |
|-----------------|---------|-----------|
| Spray Hose      | H1143mm | 517/27032 |



#### iaps

Sink mounted taps are chrome plated and either mount to the deck or the basin. Taps fit all standard sinks.

| Deck Mount           | 517/27111 |
|----------------------|-----------|
| Basin Mount          | 517/27110 |
| Cross Head Basin     | 517/27133 |
| Lever Taps           | 517/27109 |
| Cross Head Pillar    | 517/27117 |
| High Neck Pillar Tap | 517/27018 |

**Plumbing Requirements for Hand Wash Sinks:** 

Pre-mixed water. Knee valve Inlet Ø\"'(M) BSP, Outlet 1\"' (M) BSP LHS. Min. Water Pressure: Knee push - 0.7 bar.

#### **SINKS & WASHROOM ACCESSORIES & JANITORIAL SINKS**

Plumbing Requirements: Outlet 11/2" (M) BSP. Inlet to suit tap Ø15.



#### Single Water Refill Station

304 Grade Stainless Steel
Supplied with push button valve
Time Flow: 7 Sec
Flow Rate Pre-set at 3LPM at 3 Bar
Can Be Adjusted From 1.5 to 6 LPM.
Tamperproof Scale-Resistant Flow Straightener
Vinyl print to rear optional extra

Single Station L280 x W300 x H631mm



#### **Twin Water Refill Station**

517/051001 Single Station L280 x W892 x H631mm

304 Grade Stainless Steel
Supplied with push button valve
Time Flow: 7 Sec
Flow Rate: pre-set at 3LPM at 3 bar
Can be adjusted From 1.5 to 6 LPM.
Tamperproof Scale-Resistant Flow Straightener
Vinyl print to rear optional extra



#### Spares, Valves & Aerators

Wide range of spares available for sinks and taps. If you don't see the spare part you require please call us to discuss.

|   | Knee Push Valve      | 517/30011 |
|---|----------------------|-----------|
|   | Seal Kit             | 517/30055 |
|   | Mixer Valve          | 517/30066 |
|   | Aerator              | 517/27004 |
|   | Water Saving Aerator | 517/27131 |
| J | Standpipe Strainer   | 517/27042 |



#### **Bucket Sink**

1 ½" BSP outlet. Bowl size 400 x 400 x 200mm deep. Wall mounted. 2 front legs with adjustable feet. Height includes upstand.

Bucket Sink L500 x W520 x H780mm 517/27275



517/051002

#### **Janitors Sink**

Free standing 304 grade stainless steel constructed janitors sink incorporates a mop bucket and hand wash sink. Mixer tap included.

Sink L600 x W500 x H900mm 517/27276

The majority of our washroom accessories and sink spares can be purchased online.

Visit our website <u>www.</u>
<u>syspal.com</u>
today to buy these
products now!



#### **Paper Towel Dispenser**

Lockable stainless steel paper towel dispenser with a brushed finish. Suitable for C-fold or multifold paper towels. Vision slot for stock level checks.

| 2 V V/122 | v H200mm | 517/27272         |
|-----------|----------|-------------------|
|           | 2 x W128 | 2 x W128 x H300mm |



#### **Chilled Water Fountains**

Wall or floor mounted models. Hand operated bubbler jet. Foot operated model available. Provides chilled water for up to 100 people per hour. Up to 43 litres per hour at 10°C cooling capacity. Optional extra: chlorine based water filter and push button cup filler.

| Wall           | L360 x W | /432 x H 558mm | 517/G21670N |
|----------------|----------|----------------|-------------|
| Wall w/filler  | L360 x W | /432 x H558mm  | 517/000     |
| Floor          | L325 x W | /328 x H960mm  | 517/G21668N |
| Floor w/filler | L325 x W | /328 x H960mm  | 517/G21669N |
| Foot op.       | L325 x W | /340 x H960mm  | 517/G21673N |



Soft Touch Soap Dispenser




Sensor Liquid Soap Dispenser

#### Soap Dispensers

Wall-mounted soap dispensers. Soft-touch push button or sensor models available. Dispenses either liquid soap or hydroalcoholic gel.

| Soft Touch | L90 x W105 x H185mm  | 517/27270 |
|------------|----------------------|-----------|
| Sensor     | L110 x W110 x H240mm | 517/27271 |

#### SINK & WASHROOM ACCESSORIES SINKS & WASHROOM



Call SYSPAL today to discuss your changing room project.

Our experienced designers can plan
the ideal changing room for your space and requirements.

#### **SINKS & WASHROOM SINKS & WASHROOM ACCESSORIES**







#### Stainless Steel Mirrors

Unbreakable wall mounted stainless steel mirrors with super polished finish. Non-standard sizes available.

| Slim               | 300  | Х  | 1200mm | 523/300X1200S |
|--------------------|------|----|--------|---------------|
| Small              | 450  | Х  | 300mm  | 523/450X300S  |
| Medium             | 450  | Х  | 450mm  | 523/450X450S  |
| Large              | 450  | Х  | 600mm  | 523/450X600S  |
| X Large            | 450  | Х  | 900mm  | 523/450X900S  |
| XX Large           | 450  | Х  | 1200mm | 523/450X1200S |
| Circular           | Ø450 | mm |        | 523/450X450C  |
| Elliptical - Large | 450  | Х  | 600mm  | 523/450X600E  |



**High Speed Electric Hand Dryer** 

High flow electric hand dryer. Enlightened central nozzle with forced air over 230km/h. Choice of hot or cold air by concealed switch. Automatic shutdown after 60 seconds or automatic stop at removal of hands.

Electric Dryer L180 x W230 x H250mm 517/27204

Turboforce® Junior MKII Hand Dryer

This dryer is ideal for limited space washrooms that will not receive more than 1000 uses a day. Dry time of 15 seconds and an air filter included as standard. Internal switch allows change of hot or cold air setting.

Turboforce® Dryer 517/27257



Dryflow® Viper Hand Dryer

Two angled blades of air simultaneously scrape moisture from the hands providing a dry time of 15 seconds. One of the quietest hand dryers in it's class between 70-74dB. HEPA filtered air and customisable settings.

Dryflow® Dryer 517/27253



Dryflow® Vapordri Hand Dryer

A dry time of just 11 seconds using clean air pulled through a H14 HEPA filter. High traffic hand dryer with an intelligent heating system, only adding heat to the airflow if the washroom temperature drops below 25°C.



G-Force MKII Hand Dryer

Easy install hand dryer with a plug-in back plate with fast connectors for wiring purposes and phased installation. Dry time of 10-12 seconds and customisable noise and energy levels to suit your needs and location.



Paper Towel Dispenser

Lockable stainless steel paper towel dispenser with a brushed finish. Suitable for C-fold or multifold paper towels. Vision slot for stock level checks.

Vapordri Dryer 517/DFVAP1G G-Force Dryer

G-Force Dryer 517/27283

Dispenser L262 x W128 x H300mm 517/27272

#### **POLYBAG HOLDERS & BINS HYGIENE, HEALTH AND SAFETY**



#### **Swing top Waste Bins**

Sturdy, enclosed unit prevents bags splitting. 304 grade stainless steel. Removable top. Easy to clean.

| Bin | L400 x W300 x H755mm | 514/002032 |
|-----|----------------------|------------|



#### Tubular Frame Polybag Holder

Accommodates industry standard bags. Cost effective. Lightweight free standing tubular framed design. Supports the base of the bag. Hygienic design. Lids available.

| Tubular     | L458 x W441 x H725mm | 514/002007 |
|-------------|----------------------|------------|
| Tubular Lrg | L541 x W460 x H954mm | 514/002010 |



#### Circular Polybag Bin

Fully enclosed with safety edge. Rubber retaining band. Ø 460mm. Floor standing. Fully enclosed to prevent sharp objects piercing the bag.





#### Segmented Polybag Holders

Free standing with 'X' shaped base. To suit all standard waste bags. Ideal for separating waste for recycling.

| Dual   | L460xØ460xH820mm   | 514/002015 |
|--------|--------------------|------------|
| Triple | L551 xØ551 xH820mm | 514/002016 |

#### Octagonal Base Polybag Holder Free Standing Polybag Holders

Quick and simple way of accommodating waste. Crevice-free design for use in production areas. Ideal for use with standard waste bags.

| Oct     | L450 x W4 | 150 x H700mm  | 514/002000 |
|---------|-----------|---------------|------------|
| Oct Lrg | L520 x W5 | 520 x H1000mm | 514/002052 |

To suit all standard waste bags. Floor standing frame with rubber retaining band.

| Standard   | L500 xW400 xH800mm        | 514/002044 |
|------------|---------------------------|------------|
| w/Plaque   | L550 xW400 xH975mm        | 514/002043 |
| Foot Opera | ted   450 x W410 x H935mm | 514/003003 |



#### Side Hinged Polybag Holder

Foot operated waste bin with side hinge for use in hygienic environments. For use with standard polybags, the long foot pedal makes the bin easy to open hands free, eliminating the risk of contamination.

| Side Hinge | L450 | Х | W450 | x H950mm | 514/002064 | ı |
|------------|------|---|------|----------|------------|---|
|            |      |   |      |          |            |   |



#### Mountable Polybag Holders

Sink mounted or wall mounted designs available. Sink unit mounts on the side of sink unit. Sink not included. Both units have rubber retaining band. Wall unit has 4 x fixing holes and can be used with standard waste bags.

| Sink       | L250 x W200 x H120mn | n 514/002041 |
|------------|----------------------|--------------|
| Wall Mount | L400 x W358 x H180mm | n 514/002033 |



#### Mobile Polybag Holder

Hinged lid, with a bag retaining band. Mobile, 'U' shaped base for easy transportation. Now includes soft close mechanism.

| Mobile     | L450 x W410 x H935mm  | 514/003007 |
|------------|-----------------------|------------|
| Fully Clad | L460 x W490 x H1115mm | 514/001002 |

#### **HYGIENE, HEALTH & SAFETY**





Knife Steriliser

Bench Top Steriliser

#### Knife Sterilisers

Wall mounted knife steriliser and bench top steriliser have a temperature indicator light and built-in thermostat. Knife steriliser has a removable knife cradle and hinged lid. Knife steriliser available with 6 or 12 knife capacity. Stainless steel lid and insulated body for greater energy savings. Bench top steriliser has a removable basket.

| Knife - 6        | L190 x W160 x H620mm | Element - 2kW   | 543/004032 |
|------------------|----------------------|-----------------|------------|
| Knife - 12       | L390 x W160 x H620mm | Element - 3.5kW | 543/004033 |
| Bench Steriliser | L750 x W300 x H250mm | Element - 2 kW  | 543/010002 |
| Bench stand      | L770 x W440 x H645mm |                 | 543/010007 |



#### **Knife Cabinet**

Enclosed design with perforated lockable door for visibility. Available with built-in holder

| Holder   | L390 x W160 : | x H620mm | 519/008034 |
|----------|---------------|----------|------------|
| Magnetic | L390 x W160 : | x H620mm | 519/008035 |





#### Wash Trough / Knife Steriliser

stainless steel. Knee operated with built in 6 knife steriliser and temperature gauge.



#### Eye Wash & Shower

Wall mounted wash trough made from 304 grade Frost free system. AISI 430 stainless steel basin with green finish. Eye wash spray heads fitted with protective caps. Caps eject automatically when eye wash is activated. Flow rate 20 lpm at 3 bar for eye wash station. Round shower head flow rate 90 lpm at 1 bar. Supplied with standard identification signs for 'Safety Shower' and 'Eye Wash'. Other eye wash models are available.

| Knife Sink L500 | x W62 | 0 x H700mm | 517/025017 |
|-----------------|-------|------------|------------|

Eye/Shower L660 x W250 x H2115mm





2 KW Replacement



3.5 KW Replacement

| 2 KW replacement steriliser element  | 543/29025 |
|--------------------------------------|-----------|
| 3.5KW replacement steriliser element | 543/29026 |



#### First Aid Cabinets

Designed for use in production areas. Lockable door provides extra security. Water resistant option available. Chemical/hazard cabinets available (shown on page

| Flat Top | L440 x W160 x H440mm | 519/014002 |
|----------|----------------------|------------|
| Sloped   | L500 x W200 x H500mm | 519/014001 |



#### Fire Extinguisher Storage

Stainless steel fire extinguisher storage available as either a stand or cabinet. Single and double floor standing stands available. Cabinet can either be floor standing or wall mounted.

| Single  | L300 x W220 x H720mm | 519/021044 |
|---------|----------------------|------------|
| Double  | L500 x W220 x H720mm | 519/021045 |
| Cabinet | L370 x W250 x H770mm | 519/021046 |



#### Stainless "Sharp'Easy"

Designed to make sharpening knives easy. Stainless steel blade guides, with added layer of chrome. The blade guides can easily be removed and replaced. Can be easily removed from its mounting so that it can be washed and sterilised together with the mounting.

| 1 | Plastic Body | 523/SHARPEASY   |
|---|--------------|-----------------|
| 1 | All S/S Body | 523/SHARPEASYSS |

#### **HYGIENE, HEALTH & SAFETY**



#### **Hose Holders**

Wall mounted hose reel holder has 15m hose capacity. Mobile hose reel holder has a 30m hose reel capacity. 304 grade stainless steel. Compact, space saving designs.

| Wall Mount | L395 x | W205 | x H200mm  | 521/007010 |
|------------|--------|------|-----------|------------|
| Mobile     | L410 x | W480 | x H1194mm | 557/003019 |



#### **Anti-Spray Screens**

Mobile protection during washdown operation. Safety vision panel. 304 grade stainless steel frame. Regular and large screens are transparent, Clear screen is default version, also available as a solid colour.

| Regular | L1500 x W900 x H2000mm | 548/006008 |
|---------|------------------------|------------|
| Large   | L2000 x W900 x H2000mm | 548/006014 |
| Solid   | L2000 x W900 x H2000mm | 548/006016 |



#### **Shadow Board**

Made from 304 stainless steel or waterproof construction board, which inhibits the growth of bacteria by 99.99%. Free standing framework with removable reinforced sheet panel. Utensil outlines and location pegs are provided. Quantity discounts available.

| D     | 1 4070      | 141000 | 114050    | E 40 (000000 |
|-------|-------------|--------|-----------|--------------|
| Board | 1 1:37(1) Y | WWhill | x H1850mm | 548/038002   |



Spring Rewind Hose Reels

Spring Rewind

Ideal for wash down applications. Automatic spring

rewind and non-snag roller guides reduce hose wear.

Food quality Biovast 1/2" diameter with stainless steel







#### Hose Reel Pivoting Wall Bracket

Stainless steel wall bracket for hose reel which allows the reel to pivot up to 165 degrees from side to side. Gives the operator full control of the hose during pull out and retrieval.

| 523/1.80815/55 | Bracket   250 x W125 x H210mm | 523/HPST20 |
|----------------|-------------------------------|------------|





#### **Chemical Storage Units**

All over blast finish fixed storage of 25L containers. Includes chain. Padlock and containers not included. W400 x H450mm. Drip tray sold separately.

| Unit Single      | L294 mm | 548/016200 |
|------------------|---------|------------|
| Unit Double      | L594 mm | 548/016201 |
| Unit Triple      | L894 mm | 548/016202 |
| Drip Tray Single | L294 mm | 548/016210 |
| Drip Tray Double | L594 mm | 548/016211 |
| Drip Tray Triple | L894 mm | 548/016212 |
|                  |         |            |



#### Chemical / Janitor Cupboards

Chemical cupboard with lockable hinged doors. Optional adjustable shelf with reinforced door strip. Janitor's cupboard has grid back and sides for ventilation and a combination of shelves and cupboard

| Chemica | al L680 x W430 xH1310mm | 519/035007 |
|---------|-------------------------|------------|
| Janitor | L1200 x W525 xH2100mm   | 519/035000 |

#### **Spray Guns**

Spray guns with maximum working pressure 24 bar/350psi. 1/2" BSP fixed female inlet. Standard heavyduty blue guns in either brass or stainless steel have an insulated trigger. Premium duty washdown gun available in blue or red, female inlet is a swivel not fixed inlet. Comes with trigger guard. Ecojet guns also available with lower working pressure, call for details.

| Ecojet           | 523/4512   |
|------------------|------------|
| Standard - brass | 523/003008 |
| Standard - S/S   | 523/003009 |
| Premium Duty     | 523/003010 |



#### Lockable Chemical Cupboard & Container Bracket

Cupboard - Sloped top. Lockable hinged lid and door. Side cut outs for pipework. Perforated drainage base. 25L drum capacity. Adjustable levelling foot. Bracket - 304 grade stainless steel chemical container bracket. Long link chain to be used with lock (not supplied) to fit through the handle of a 5L chemical container.

| Single Unit | L506 | Х | W400 | x H803mn | n | 519/039038 |
|-------------|------|---|------|----------|---|------------|
| Bracket     | L200 | Х | W150 | x H400mn | n | 548/016156 |









#### **CHANGING ROOM EQUIPMENT BOOT & SHOE STORAGE**



#### Over Kerb Shoe Storage Rack

Wall fixing over kerb shoe storage rack with 2 adjustable feet. Made from 304 grade stainless steel. 2 sheet shelves for shoe storage.

| 750mm  | L750 x  | W440 x | H550mm | 551/001223 |
|--------|---------|--------|--------|------------|
| 910mm  | L910 x  | W440 x | H550mm | 551/001220 |
| 1500mm | L1500 x | W440 x | H550mm | 551/001222 |



#### **Eco Changing Room Benches**

Robust, bolt together design, easy to clean unit. Adjustable feet for easy levelling. Capacity for up to 12 or 20 pairs of shoes.

| 12 Pair | L1590 x W430 x H420mm | 551/006097 |
|---------|-----------------------|------------|
| 20 Pair | L2220 x W400 x H400mm | 551/006026 |



#### Shoe Storage Tree

304 grade stainless steel wall mounted vertical shoe tree with 5 pair capacity. 4 fixing holes. Shoes/clogs not included.

| 5 Pair | L436 | Х | W137 | Χ | H982mm | 521/009133 |
|--------|------|---|------|---|--------|------------|
|        |      |   |      |   |        |            |



#### 'Deluxe' Shoe Storage Units

Part of our 'Deluxe' locker and storage range. 22 - 44 pair capacity. 304 grade stainless steel, top back and sides. All adjustable feet. Open front for easy access. Sloped top. Inset rear legs


| E | 22 Pair | L618  | x W458 x H2100mm | 519/025075 |
|---|---------|-------|------------------|------------|
| ſ | 33 Pair | L927  | x W458 x H2100mm | 519/025070 |
| [ | 44 Pair | L1236 | x W458 x H2100mm | 519/025090 |



#### **Outer Footwear Storage**

Changing room application. Robust. Fully welded construction. Easy to clean. Drainage tilt feature. Sheet = W290 x H1810mm. Tubular = W250 x H1810mm.

|                 | Sheet      | Tubular    |
|-----------------|------------|------------|
| 32 Pair L1006mm | 521/009206 | 521/009201 |
| 40 Pair L1236mm | 521/009207 | 521/009203 |
| 48 Pair L1446mm | 521/009208 | 521/009200 |
| 56 Pair L1696mm | 521/009209 | 521/009205 |
|                 |            |            |



#### Lockable Footwear Storage

Lockable footwear storage with models available for boots or shoes. Models available with varying capacities up to 36 pairs of footwear.

#### See website for the full range of models available






| 1m Long | L434 | Х | W1344 | Х | H1831mm | 521/008217 |
|---------|------|---|-------|---|---------|------------|
| 2m Long | L434 | Х | W2344 | Х | H1831mm | 521/008218 |
| 3m Long | L434 | Х | W458  | Х | H2100mm | 521/008219 |

#### **Changing Room Benches**

304 grade stainless steel fully welded construction with profiled sheet top. Central drainage channel for wash down purposes. Adjustable levelling foot to ensure stability on uneven floors and surfaces. All benches without hooks have a width of 350mm and a height of 450mm for 1 tier benches and 600mm for 2 tier benches. Single sided changing room benches with hooks have a capacity of 6 or 12 hooks depending on length, double sided changing room benches with hooks have 24 coat hooks. Adjustable feet. Bolt-on assembly goal post or fully welded options available. Bench height 500mm. Welded option has shoe storage under bench. All benches with hooks are H1800mm and the double sided changing room bench with hooks is L1900mm.

|       | it Shoe Storage<br>H450mm |       | noe Storage 1<br>- H450mm |       | e Storage 2 Tier<br>H600mm | - 1-1- | oosing Cladding<br>- H600mm |       | ear Cladding 2<br>- H600mm |
|-------|---------------------------|-------|---------------------------|-------|----------------------------|--------|-----------------------------|-------|----------------------------|
| L1000 | 551/001006                |       | 551/007004                | L1000 | 551/007007                 | L1000  | 551/007012                  | L1000 | 551/007038                 |
| L1500 | 551/001132                | L1500 | 551/007003                | L1500 | 551/007006                 | L1500  | 551/007013                  | L1500 | 551/007039                 |
| L2000 | 551/001146                | L2000 | 551/007002                | L2000 | 551/007005                 | L2000  | 551/007014                  | L2000 | 551/007040                 |

#### **BOOT & SHOE STORAGE CHANGING ROOM EQUIPMENT**





#### **Eco Wall Mounted Shoe Racks**

Lockable versions available.


| 4 Pair  | L1040 x W120 x H183mm   | 521/009104 |
|---------|-------------------------|------------|
| 8 Pair  | L1078 x W167 x H501mm   | 521/009108 |
| 12 Pair | L1000 x W147 x H941mm   | 521/009109 |
| 16 Pair | L1000 x W147 x H1271mm  | 521/009110 |
| 20 Pair | L1000 x W147 x H1600mm  | 521/009106 |
| 24 Pair | L1000 x W147 x H1931mm  | 521/009112 |
| 36 Pair | L1500 x W147 x H1 931mm | 521/009113 |

#### **Eco Wall Mounted Boot Racks**

Lockable versions available.

| 4 Pair  | L1065 x W364 x H271mm  | 521/009126 |
|---------|------------------------|------------|
| 8 Pair  | L1065 x W364 x H569mm  | 521/009127 |
| 12 Pair | L1065 x W364 x H824mm  | 521/009114 |
| 16 Pair | L1065 x W364 x H1079mm | 521/009128 |
| 20 Pair | L1100 xW378 xH1353mm   | 521/009084 |
| 24 Pair | L1065 x W364 x H1589mm | 521/009115 |
| 36 Pair | L1540 x W364 x H1589mm | 521/009116 |

# \*\*\*\*LOCKABLE VERSIONS AVAILABLE FOR ALL RACKS\*\*\*\* \*\*ALL BOOT AND SHOE RACKS NOW FEATURE FULLY WELDED END CAPS\*\*



#### **Eco Single Sided Shoe Racks**

Lockable versions available.

|         | St                   | atic Model Mo | obile Model |
|---------|----------------------|---------------|-------------|
| 12 Pair | L1098 xW500 xH1097mm | 521/009158    | 521/009163  |
| 16 Pair | L1098 xW500 xH1427mm | 521/009159    | 521/009164  |
| 20 Pair | L1098 xW500 xH1757mm | 521/009160    | 521/009165  |
| 24 Pair | L1098 xW500 xH1957mm | 521/009161    | 521/009166  |
| 36 Pair | L1598 xW500 xH1957mm | 521/009162    | 521/009167  |



#### **Eco Single Sided Boot Racks**

Lockable versions available.

|             | Static              | z Model Mobile i | viodei     |
|-------------|---------------------|------------------|------------|
| 12 Pair L10 | 65 x W500 x H983mm  | 521/009136       | 521/009129 |
| 16 Pair L10 | 65 x W500 x H1238mm | 521/009139       | 521/009144 |
| 20 Pair L10 | 65 x W500 x H1493mm | 521/009143       | 521/009142 |
| 24 Pair L10 | 65 x W500 x H1748mm | 521/009137       | 521/009125 |
| 36 Pair L15 | 98 x W500 x H1748mm | 521/009138       | 521/009135 |


Statio Madal



#### **Eco Double Sided Shoe Racks**

Lockable versions available.

|               | S              | tatic Model N | Mobile Model |
|---------------|----------------|---------------|--------------|
| 24 Pair L1098 | xW650 xH1097mm | 521/009168    | 521/009175   |
| 32 Pair L1098 | xW650 xH1427mm | 521/009169    | 521/009176   |
| 40 Pair L1098 | xW650 xH1757mm | 521/009172    | 521/009177   |
| 48 Pair L1098 | xW650 xH1957mm | 521/009173    | 521/009178   |
| 72 Pair L1598 | xW650 xH1957mm | 521/009174    | 521/009179   |



#### **Eco Double Sided Boot Racks**

Lockable versions available. Now supplied in two modules for ease of access.

|         |              | Sta       | atic Model | Mobile Model |
|---------|--------------|-----------|------------|--------------|
| 24 Pair | L1125 x W840 | x H983mm  | 521/009151 | 521/009145   |
| 32 Pair | L1125 x W840 | x H1238mm | 521/009152 | 521/009146   |
| 40 Pair | L1125 x W840 | x H1493mm | 521/009153 | 521/009147   |
| 48 Pair | L1125 x W840 | x H1749mm | 521/009154 | 521/009148   |
| 72 Pair | L1710 xW840  | x H1749mm | 521/009155 | 521/009149   |
| 96 Pair | L2210 xW840  | x H1749mm | 521/009157 | 521/009156   |

Mobile Model

#### **CHANGING ROOM EQUIPMENT LOCKERS**



Perforated

#### Mild Steel Lockers

Selection of door types available (see above). Various widths, depths and heights. Options available - cam locks, padlocks, coin return/retain locks, charging lockers for power tools and mobile phones, sloping roofs and floor stands. Call us to discuss your locker requirements for a personalised quote based on your specification and quantity.

Single L300 x W300 x H1800mm 519/000



#### **Mesh Lockers**

Designed for maximum visibility, different tiers and variations available. Bright zinc plated finish, hasp and staple lock. Call for pricing.

| Single | L305 | Х | W305 | x H1974mm | 519/016622-F |
|--------|------|---|------|-----------|--------------|
| Double | L610 | Х | W305 | x H1974mm | 519/016623-F |
| Triple | L915 | Х | W305 | x H1974mm | 519/016624-F |





#### **Charging Locker**

Stainless steel charging locker designed to charge a variety of devices including ipads, tablets and phones. Each compartment boasts 2 sockets and 2 USB charging points. Compartment height 150mm.11 x individual lockers designed to suit tablets up to 190x260mm

| _ocker l | _390 | Х | W305 | x H2100mm | 519/025207 |
|----------|------|---|------|-----------|------------|



#### Waterproof Lockers

Plastic lockers for challenging environments. 4 door colours available. Powder coated with ACTIVECOAT. Available in a variety of configurations and compartment sizes. Call for pricing.

|            | Door Dimensions |
|------------|-----------------|
| 4 Door     | H367mm          |
| 3 Door     | H521mm          |
| 2 Door     | H812mm          |
| Mini Box   | H367mm          |
| Mini Box 2 | H367mm          |





#### Managers Multi Door Locker

Operative single door access. Many different tiers and variations available. Please call and advise quantity for best pricing.

| 6 x 1 | L340  | x W292 x H2257 mm | 519/000000 |
|-------|-------|-------------------|------------|
| 6 x 2 | L680  | x W292 x H2257 mm | 519/000000 |
| 6 x 4 | L1357 | x W292 x H2257 mm | 519/016247 |
| 6 x 8 | L2720 | x W292 x H2257 mm | 519/000000 |



#### Vision Panel Lockers

Lockers that combine security with transparency for an ideal safe storage solution within the workplace. Powder coated with ACTIVECOAT. Three point locking system. Available in a variety of configurations with a multiple of doors and a choice of 3 body colours and 4 door colours.

## Call for pricing and further information



#### 'Deluxe' Garment Storage

Part of our 'Deluxe' locker and storage range. Stores garments in washrooms and changing rooms. Fully stainless steel.

| 40 Packs  | L300 x W457 x H2100mm | 519/025120 |
|-----------|-----------------------|------------|
| 120 Packs | L600 x W457 x H2100mm | 519/025123 |
| 140 Packs | L900 x W457 x H2100mm | 519/025126 |
| 900L(3x6) | L900 x W450 x H2100mm | 519/025151 |



#### 'Deluxe' Lockers

Designed for use in washrooms and changing rooms. Internal shelves and hanging rails included. Fully stainless steel.

| 4 Door L639 x W457 x H2100mm  | 519/016079 |
|-------------------------------|------------|
|                               | 319/010079 |
| 6 Door L927 x W457 x H2100mm  | 519/016047 |
| 12 Door L927 x W457 x H2100mm | 519/016051 |



#### 'Deluxe' Dirty Garment Lockers

Part of our 'Deluxe' locker and storage range. Hinged lockable door. Fully stainless steel. \*900 dual section available.

| 300  | L300 x W457 x H2100mm | 519/016076 |
|------|-----------------------|------------|
| 600  | L600 x W457 x H2100mm | 519/016185 |
| 900  | L900 x W457 x H2100mm | 519/016186 |
| 900* | L900 x W457 x H2100mm | 519/016187 |

#### **LOCKERS & HANGING STORAGE CHANGING ROOM EQUIPMENT**







8 Door Locker



12 Door Locker



16 Door Locker



24 Door Locker



32 Door Locker

#### **Personal Lockers**

Hygienic stainless steel personal lockers are storage units made from high-quality stainless steel materials, designed to meet the standards of hygiene-conscious environments. These lockers are typically used in settings where maintaining a clean and sterile environment is of utmost importance, such as hospitals, clinics, laboratories, pharmaceutical plants, and food processing plants.

| 4 Door Locker  | L381 | Х | W1520 | Х | H1902mm | 519/016280 |
|----------------|------|---|-------|---|---------|------------|
| 8 Door Locker  | L381 | Х | W1520 | Х | H1902mm | 519/016281 |
| 12 Door Locker | L381 | Х | W1520 | Х | H1902mm | 519/016282 |
| 16 Door Locker | L381 | Х | W1520 | Х | H1902mm | 519/016283 |
| 24 Door Locker | L381 | Х | W1520 | Х | H1902mm | 519/016284 |
| 32 Door Locker | L381 | Х | W1520 | Х | H1902mm | 519/016285 |

and the second









#### **Coat Hanging Hooks**

Electro-polished versions available. Other sizes and configurations available. 1, 5 and 10 position are standard, 20 position is coat and hat strip.

| L20   | xH250mm       | 521/008088      |
|-------|---------------|-----------------|
| L500  | xH130mm       | 521/008025      |
| L1000 | xH130mm       | 521/008125      |
| L1950 | xH130mm       | 521/008090      |
|       | L500<br>L1000 | EEO XIIEOOIIIII |

#### Wall Mounted Hanger Rails

Tubular design coat rail with capacity of either 6, 10, 12 or 20 fixed hangers. Wall mounted design featuring 2 fixing plates with 3 fixing holes supplied. Constructed from 304 grade stainless steel. Available:

- with or without fixed ID showing numbers
- As a straight tube or a u-shape design

Call for more information on the wall mounted hanger rails that can be tailored to your needs.

|           |            | _          |            |
|-----------|------------|------------|------------|
| 3 Hangers | 521/008186 | 12 Hangers | 521/008187 |

#### **CHANGING ROOM EQUIPMENT DISPENSERS**









#### **PPE Dispensers**

Hinged lid. Etching available. Refill vision slot.

| Single       | L300 x W170 x H370mm | 548/016031 |
|--------------|----------------------|------------|
| Single Large | L400 x W200 x H500mm | 548/016010 |
| Double       | L600 x W200 x H500mm | 548/016038 |
| Triple S     | L600 x W200 x H370mm | 548/016083 |
| Triple M     | L785 x W200 x H500mm | 548/016056 |
| Triple L     | L905 x W200 x H500mm | 548/016034 |
| Quad         | L800 x W200 x H370mm | 548/016084 |

#### \*\*\*S/S PPE DISPENSERS, MORE DURABLE THAN PLASTIC\*\*\*



#### **Apron/Coat Dispensers**

4 individual compartments - L155 x W305 x H400mm each. Hinged lid. Refill vision slots. Hygienic stainless steel construction for use in changing rooms and wash down rooms.

| Dispenser | L 635 x W330 x H460mm | 548/016030 |
|-----------|-----------------------|------------|



#### Multi Purpose PPE Dispenser

304 grade stainless steel. To suit 2190 PPE. Wall mounted design. Sloped inner section for even distribution of PPE.

| Single | L300 x W235 x H345mm | 548/016230 |
|--------|----------------------|------------|
| Twin   | L600 x W235 x H345mm | 548/016232 |
| Triple | L900 x W235 x H345mm | 548/016233 |



## Visitors Hair/Shoe Cover Dispensers

Hygienic stainless steel construction for use in changing rooms and wash down rooms. Wall mounted easy release dispenser has 3 fixing holes.

| Easy release L200 | x W129 x H195mm | 548/016120 |
|-------------------|-----------------|------------|
|                   |                 |            |







517/270119




548/016068

### Wipe/Tub Dispenser Brackets

Brackets for industrial disinfectant wipes. Wall mounted available in 3 sizes. Round base plate with supporting location lugs. Small is for tubes, large is for buckets, sanitiser is for hand sanitiser bottles.

| Small     | L130 | Х | W130 | x H260mm | 548/016068 |
|-----------|------|---|------|----------|------------|
| Large     | L280 | Х | W280 | x H260mm | 548/016060 |
| Sanitiser | L93  | Х | W93  | xH120mm  | 517/270119 |



Apron Dispenser

#### **Roll Dispensers**

Wall mounted apron dispensers with a hinged lid and spindle support. Dispensing slot. Hygienic stainless steel construction. Multi purpose dispenser available in three sizes to house different roll sizes.

| 500mm Roll Size            | 548/016122-500 |
|----------------------------|----------------|
| 750mm Roll Size            | 548/016122-750 |
| 915mm Roll Size            | 548/016122-915 |
| Apron L450 x W160 x H180mm | 548/016058     |

#### **DISPENSERS CHANGING ROOM EQUIPMENT**



#### **Hinged Lid PPE Dispensers**

Hinged lid available with either vision slots or perspex vision panels. Etching available. \*Quantity discounts available on quad and quin models.

|        |        |                 | Vision Panel Model | Vision Slo | t Model     |
|--------|--------|-----------------|--------------------|------------|-------------|
| Single | L225   | x W200 x H254mr | m 54               | 48/016051  | 548/016215  |
| Double | L450   | x W200 x H254mr | m 54               | 48/016052  | 548/016216  |
| Triple | L670   | x W200 x H254mr | m 54               | 48/016053  | 548/016217  |
| Quad*  | L890   | x W200 x H254mr | m 54               | 48/016054  | 548/016218  |
| Ouin*  | I 1105 | v W200 v H254mr | n 5,               | 18/016055  | 5/18/016219 |



#### Face Mask Dispenser

Stainless steel face mask dispenser designed to hold two boxes of face masks. Compatible with box size L180 x D100 x H80mm. Dimensions of dispenser L200 x D90 x H290mm.

| Face Mask Dispenser | 548/016322 |
|---------------------|------------|









#### **Wall Mounted Glove Dispensers**

Wall mounted. Suitable for any hygiene conscious environment such as commercial catering kitchens, factory environments and the pharmaceutical industry. Quad glove dispensers suitable for box size 235 x 130 x 75mm.

| Single Glove | L280 x W80 x H225  | 548/016057     |
|--------------|--------------------|----------------|
| Quad (2x2)   | L512 x W104 x H393 | 3mm 548/016320 |
| Quad (4x1)   | L275 x W75 x H585  | 548/016102     |



548/016315 - 2 boxes



548/016316 - 3 boxes





548/016318 - Enclosed 1 box

#### **Eco Glove Dispensers**

Wall mounted eco glove dispensers. Constructed from 304 grade stainless steel. Open glove box holder that the boxes just slot into from the top. Two or four fixing holes, dependent on size. Enclosed option for one box only.

|          | External Dimensions       | Internal Dimensions     |            |
|----------|---------------------------|-------------------------|------------|
| 1 box    | L240 x W80 x H131.20mm    | L237.6 x W77.6 x H130mm | 548/016314 |
| 2 boxes  | L252 x W82 x H262.2mm     | L249.6 x W79.6 x 261mm  | 548/016315 |
| 3 boxes  | L252 x W82 x H393.20mm    | L249.60 x W79.6 x 392mm | 548/016316 |
| 4 boxes  | L252 x W82 x H524.20mm    | L249.60 x W79.6 x523mm  | 548/016317 |
| Enclosed | L136.4 x W81.4 x H247.2mm | L134 x W79 x H246mm     | 548/016318 |



#### Bespoke PPE Dispenser

Through wall PPE dispenser unit that can hold garment pack size W300 x L400mm. Designed for loading PPE in low care and for dispensing in high care. Rear lockable sliding doors. Full height and split height dispenser sections accessible from the back.

| Bespoke PPE Dispenser | 519/003081 |
|-----------------------|------------|
|                       |            |

#### **STEP UNITS & GANTRIES**

Aluminium or stainless steel static or mobile access steps. Non-slip surfaces in either treadplate for dry areas or hole grip for wet areas. Kerbing to both steps and platforms to prevent kickoff.

#### **Static Access Steps**



Platform





1 step w/platform



1 step w/platform

w/handrail





w/handrail





2 step w/platform

3 step w/platform

3 step w/platform w/ handrail

Hand brake control

1-3 steps available with or without a handrail. Platform size 600 x 680mm.

| Platform                     | L450  | Х | W600 | x H230mm  | 230mm | 513/006300 | 513/003300 |
|------------------------------|-------|---|------|-----------|-------|------------|------------|
| 1 step w/platform            | L825  | Х | W680 | x H500mm  | 460mm | 513/006301 | 513/003301 |
| 1 step w/platform w/handrail | L825  | Х | W680 | x H1500mm | 460mm | 513/006401 | 513/003401 |
| 2 step w/platform            | L1055 | Х | W680 | x H730mm  | 690mm | 513/006302 | 513/003302 |
| 2 step w/platform w/handrail | L1055 | Х | W680 | x H1690mm | 690mm | 513/006402 | 513/003402 |
| 3 step w/platform            | L1285 | Х | W680 | x H960mm  | 920mm | 513/006303 | 513/003303 |
| 3 step w/platform w/handrail | L1285 | Х | W680 | x H1920mm | 920mm | 513/006403 | 513/003403 |

#### **Mobile Access Steps**



Platform size 600 x 600mm. Tubular handrails on steps. Hand brake control is a safety feature on 3-8 step units.

Optional Extras:

- Stabilisers for 2-5 step units
- Hinged safety bars or security chains
- Removable sections for room access

| 2 step w/platform | L1408 x W700 x H1790mm | 690mm  | 513/006502  | 513/003502                                |
|-------------------|------------------------|--------|-------------|---|
| 3 step w/platform | L1308 x W700 x H2020mm | 920mm  | 513/006503  | 513/003503                                |
| 4 step w/platform | L1538 x W700 x H2250mm | 1150mm | 513/006504  | 513/003504                                |
| 5 step w/platform | L1772 x W700 x H2480mm | 1380mm | 513/006505  | 513/003505                                |
| 6 step w/platform | L2004 x W700 x H2710mm | 1610mm | 513/006506* | 513/003506*                               |
| 7 step w/platform | L2232 x W700 x H2940mm | 1840mm | 513/006507* | 513/003507*                               |
| 0 -4/ 46          | L0400 W700 L10470      | 2070mm | E10/006E00* | ti lingua al atabilia que impluela al que |

513/006508\* \*Hinged stabilisers included on 6, 7 and 8 step units

#### BESPOKE

GANTRY DESIGN AND MANUFACTURE
Call today for a free consultation
+44 (0)1952 883188







#### **Operator Platform**


Static and adjustable height operator platforms. Adjustable platform height range from 100-350mm. Tread available as GRP or stainless steel.

| Adjustable Height - GRP | L1100 x W1050 x H990mm | 513/006323 |
|-------------------------|------------------------|------------|
| Static GRP              | L900 x W600 x H230mm   | 513/010080 |
| Static Steel            | L900 x W400 x H230mm   | 513/010027 |

#### **BOLLARDS, BARRIERS & CUPBOARDS PRODUCTION FURNITURE**









#### **Bollards**

60Ø Tube Body

heights 345, 595 and 900mm.

Call for pricing, quantity discounts available.

#### Bollards are available as embedded, surface mounted or combination fixing in


Stainless steel 2mm tubular wall thickness. Fully welded dome top.

#### **Exit Barrier & Gate**

Stainless steel exit barrier for controlling traffic flow in and out of an area. Constructed from 304 grade stainless steel. Self closing barrier gate has a right hand hinge. Supplied with floor mounting plates, tubular framework and mid rail for barriers. Gate supplied with EXIT and NO ENTRY symbol sign to specify direction of traffic through

| Gate | 1 000 14/000 114 000  | E40/00040  |
|------|-----------------------|------------|
|      | L800 x W600 x H1000mm | 513/026018 |
|      |                       |            |







#### Radius End Handrails (Ø51mm x H1000mm)

| L500  | 513/016100 |
|-------|------------|
| L750  | 513/016101 |
| L1000 | 513/016102 |
| L1250 | 513/016103 |
| L1500 | 513/016104 |
| L1750 | 513/016105 |
| L2000 | 513/016106 |

Low Level Capped End Barriers (Ø51mm x H300mm)

| L1000 | 513/013107 |
|-------|------------|
| L1500 | 513/013108 |
| L2000 | 513/013109 |
| L2500 | 513/013110 |
| L3000 | 513/013111 |
| L3500 | 513/013112 |
| L4000 | 513/013113 |

Low Level Radius End Barriers ( Ø51mm x H300mm)

| L1000 | 513/013114 |
|-------|------------|
| L1500 | 513/013115 |
| L2000 | 513/013116 |
| L2500 | 513/013117 |
| L3000 | 513/013118 |
| L3500 | 513/013119 |
| L4000 | 513/013120 |

BARRIERS, RAILINGS & WALL PROTECTION DESIGN AND MANUFACTURE Call today for a free consultation +44 (0)1952 883188



#### Modular Cupboards (Type A-F)

Range of modular cupboards in a variety of configurations (as pictured above). Stainless steel modular construction. Available as door cupboards or drawer configurations. All adjustable feet. Central divider. All cupboards come with a mid-height shelf.

| Type A | L1200 x W620 x H850mm | 519/002090 |
|--------|-----------------------|------------|
| Type B | L1200 x W620 x H850mm | 519/002091 |
| Type C | L1200 x W620 x H850mm | 519/002092 |
| Type D | L623 x W620 x H850mm  | 519/002095 |
| Type E | L1200 x W620 x H850mm | 519/002094 |
| Type F | L1200 x W620 x H850mm | 519/002093 |





#### Wall Mounted Modular Cupboards (Type A-D)

Range of wall mounted modular cupboards in a variety of configurations (as pictured above). Stainless steel modular construction. Sloped top and internal shelf.

| Type A | L900 x W300 x H600mm  | 519/008101 |
|--------|-----------------------|------------|
| Type B | L1200 x W300 x H600mm | 519/008102 |
| Type C | L1500 x W300 x H600mm | 519/008103 |
| Type D | L1800 x W300 x H600mm | 519/008104 |

#### **PRODUCTION FURNITURE TABLES & DESKS**



#### **Eco Tables**

Stainless Steel. 25x25mm box section underframe.

| _ |       |        |            |               |
|---|-------|--------|------------|---------------|
|   |       |        | x H838mm   | 539/SEA240091 |
| E | L900  | x W600 | x H838mm   | 539/SEA240313 |
| Γ | L1200 | x W600 | ) x H838mm | 539/SEA240679 |
| Γ | L1500 | x W600 | ) x H838mm | 539/SEA241134 |
| ſ | L1800 | x W600 | x H838mm   | 539/SEA241590 |



#### Mobile Eco Tables

Stainless Steel, 25x25mm box section underframe,

| L600 x W600 x H936mm  | 539/SEA240091-M |
|-----------------------|-----------------|
| L900 x W600 x H936mm  | 539/SEA240313-M |
| L1200 x W600 x H936mm | 539/SEA240679-M |
| L1500 x W600 x H936mm | 539/SEA241134-M |
| L1800 x W600 x H936mm | 539/SEA241590-M |



#### **Under Table Cupboards & Drawers**

| Cupboard      | L450 x W466 x H480mm | 539/036010   |
|---------------|----------------------|--------------|
| Drawer        | L390 x W550 x H115mm | 539/036004   |
| Locked Drawer | L390 x W550 x H115mm | 539/036004-L |



#### Stainless Steel Top Tables

Step 1: Choose your underframe material

#### Stainless Steel Under Frame

| Length |  |  |
|--------|--|--|
| 600    |  |  |
| 900    |  |  |
| 1200   |  |  |
| 1500   |  |  |
| 1800   |  |  |

#### Aluminium Under Frame

Length
600
900
1200
1500



Step 2: Options Flat top, Backsplash and Shelf

| L600  | 7 |
|-------|---|
| L900  | ٦ |
| L1200 | ] |
| L1500 | ٦ |
| L1800 | ٦ |

Height of all tables without castors - 838mm

Additional costs for castors:

- Stainless steel grey thermo wheels swivel braked castors
- Zinc plated poly tyred castors

All tables can be supplied with an upstand on one or more sides if required. Upgraded tops are heavy duty, hygienic 2mm stainless steel with integrated upstand. Call for pricing.

With upgraded hygienic 2mm

top and upstand



#### Write Up Tables

Stainless steel write up tables. Also available as a clipboard table with 2 x clips to secure items to the table.

| Write Up   | L643 x W555 x H1100mm | 519/001089   |
|------------|-----------------------|--------------|
| Clip table | L643 x W555 xH1100mm  | 519/001089+C |



#### Computer Desk Accessories

Stainless steel computer desk accessories, all designed to fit a standard 600mm wide table.

| PC Tower Stand        | 539/045001 |
|-----------------------|------------|
| Cable Management Tube | 539/045002 |
| Keyboard Slider Unit  | 539/045003 |



#### Stainless Steel Desks

Hinged writing surface lifts giving access to the top storage area. Wall mounted version for write up desk is also available. Clad desk is lockable with 1 x internal shalf

| Write Up    | L650 x W600 x H1025mm | 519/001000    |
|-------------|-----------------------|---------------|
| Static Clad | L700 x W640 x H950mm  | 519/001002    |
| Mobile Clad | L650wW601 x H1005mm   | 519/001002-NS |

#### **PRODUCTION FURNITURE**





#### Heavy Duty Storage Cupboards Wall Mounted Folding Table

Stock item, tall cupboard ideal for general storage. Double lockable hinged doors. Available in regular or large. Sloping top.

| Regular   | L910 x W453 x H1880mm | 519/003003 |
|-----------|-----------------------|------------|
| Large     | L910 x W610 x H1880mm | 519/003006 |
| Shelf Re  | g                     | 519/011000 |
| Shelf Lro | 1                     | 519/011001 |

Wall mounted folding table with adjustable angle. 15mm lip retention for securing papers to the table. Constructed from 304 grade stainless steel.

| Table | 1700 x W402 x H445mm | E10/001100 |
|-------|----------------------|------------|
| lable | L/UU X W4U2 X H445MM | 519/001138 |

#### Fish Filleting & Scallop Tables

Fish filleting tables available as single sided or double sided. Aluminium underframes as standard.

| Sgl Sided | L2400 x W600 x H950mm  | 524/013007 |
|-----------|------------------------|------------|
| Dbl Sided | L900 x W1200 x H950mm  | 524/013005 |
| Dbl Sided | L1800 x W1200 x H950mm | 524/013006 |
| Scallop   | L1800 x W1140 x H920mm | 539/023013 |



#### **High Care Production Furniture**

Production furniture for high care environments. Made from 304 grade stainless steel with a 2mm top. L-shaped workbenches have wall brackets for secure positioning and an upstand. Computer workbench has cable management holes for feeding cables through for computers, weigh scales etc.

| Computer | L3840x W570  | x H1050mm | 539/027067 |
|----------|--------------|-----------|------------|
| L-shape  | L2820x W1940 | x H1050mm | 539/027061 |



#### **Chairs and Stools**

Leaning Stool - cylindrical polyurethane seat on a tilted gas lift column, height adjustable 630-860mm (extension piece available). Koncept Chair - Polyurethane seat, tilted 2° forward with lumbar support. 5 branch base and height adjustable foot ring, height adjustable 610-855mm. Round Stool - Height adjustable 510-

| 1 | Leaning Stool | 551/003012 |
|---|---------------|------------|
| ٦ | Koncept Chair | 551/003024 |
| _ | Round Stool   | 551/003008 |





#### Tall Storage Cupboard

304 grade stainless steel construction cupboard. Single lockable door with right hand hinge. Internal mid height shelf and vent holes on each side.

| Cupboard L600 x W400 x H1550mm 519/0 | 03078 |
|--------------------------------------|-------|
|--------------------------------------|-------|



#### **Height Adjustable Tables**

Stainless steel height adjustable between 650-950mm (max). 100mm upstand on 3 sides. Manual hand wind mechanism.

| able L1630 x W600 x H950mm(max) | 539/060001 |
|---------------------------------|------------|



#### Inspection Table

Designed for inspecting products under overhead lighting. 304 grade stainless steel sheet table top with aluminium multibar underframe. LED inspection lamp and adjustable levelling feet. Working height of 900mm. Other sizes available on request

Table L1570 x W630 x H1720mm 539/008014 **Call for pricing** and further information

#### **RACKING & SHELVING**



#### Stainless steel modular shelving

Ultimate choice for a no-compromise system that excels in extreme environments. Constructed from 304 grade stainless steel. Heights from 1200 - 2000mm. Widths from 1000 - 3650mm, shelf depths of 300, 400, 500 and 600mm. Section load of 600 or 1200kg, dependent on shelf style and width. Shelf styles include: slatted, wired, wired for GN lids and solid.




## Aluminium frame, polymer shelf modular shelving

Aluminium frame with polymer shelving. The polymer shelves are robust, lightweight and dishwasher safe. Heights from 1600 - 2000mm. Widths available 1000 - 3650mm, shelf depths of 400, 500 and 600mm. Slatted or solid shelving available. Section load of 600kg, dependent on shelf style and width.




#### Aluminium modular shelving

Aluminium shelving, highly versatile with optimal cleanability. Easy assembly and adjustment. Heights from 1200 - 2000mm. Widths available between 1000 - 3650mm and shelf depths of 300, 400, 500 and 600mm. Section load 600-1200kg dependent on shelf style and width. Shelf styles include: slatted, solid, bottle and box storage.



Room Layout Service Available





Due to the modular nature of these shelving systems and the wide variety of shelf styles, widths, depths, heights and accessories such as cross braces and additional uprights, please call us with your requirements for accurate pricing.





#### Easy rider system

Maximise storage potential by eliminating unused space between shelving units. Shelving moved with minimal effort with a slide and locking mechanism. Multi-shelf style compatibility. Please call for more information.

#### **RACKING & SHELVING**







#### Wall Mounted Shelving

Stainless steel construction ideal for food prep areas. Design features rear upstand. Includes wall fixing brackets. 50kg capacity per shelf.

#### **Rack Protection**

Single piece rack protection available in plain stainless steel or with optional 'Safety First' laminated vinyl (as shown). Constructed from 304 grade stainless steel for durability. Options available are: 700mm, 1050mm or 1400mm high.

#### Aluminium Light Duty Modular Racking

Sheet shelves for light duty storage applications. 50kg capacity per shelf. Supplied flat packed in easy to assemble modules. Corner units can be constructed using add-on bays. Each main kit contains 4 shelves, 2 end frames, 1 cross brace. Add On kit contains 1 end frame and 4 shelves. Individual component parts available to suit larger runs. Overall size add 40mm to the dimensions in the table below.

| L750 x W400 x H1830mm  | 507/MS0750 |
|------------------------|------------|
| L1000 x W400 x H1830mm | 507/MS1000 |
| L1250 x W400 x H1830mm | 507/MS1250 |

| L500   | L500 x W300 x H168mm  | 507/031110 |
|--------|-----------------------|------------|
| L750   | L750 x W300 x H168mm  | 507/031111 |
| L1000  | 1000 x W300 x H168mm  | 507/031112 |
| L1250  | L1250 x W300 x H168mm | 507/031113 |
| L 1500 | L1500 x W300 x H168mm | 507/031114 |

| L290 x W290 x H1050mm 507/035-RP | 2700-1 |
|----------------------------------|--------|
| 1050 144050 144400 507/005 DD    | 1050-1 |
| L350 x W350 x H1400mm 507/035-RP | 1400-1 |





#### Medium Duty Modular Racking

Supplied flat packed in easy to assemble modules. Available in aluminium as standard or stainless steel for more corrosive environments. Each kit contains: 4 shelves, 2 end frames and 1 cross brace. Overall size add 40mm. W560 x H2000mm. 100kg capacity per shelf. Add On Bay includes 4 x shelves.

#### **Heavy Duty Racking**

Ideal for storage of heavier loads and where air circulation is important, i.e. store rooms, chillers and freezers. Fully welded as standard. Quantity discounts available. Overall size add 40mm. W500 x H1620mm. 150kg capacity per shelf.

| Alu Sheet L750  | 507/MR0750-S  | Alu Rung L750  | 507/MR0750-R  |
|-----------------|---------------|----------------|---------------|
| Alu Sheet L1000 | 507/MR1000-S  | Alu Rung L1000 | 507/MR1000-R  |
| Alu Sheet L1250 | 507/MR1250-S  | Alu Rung L1250 | 507/MR1250-R  |
| Alu Sheet L1500 | 507/MR1500-S  | Alu Rung L1500 | 507/MR1500-R  |
| S/S Sheet L750  | 507/SMR0750-S | S/S Box L750   | 507/SMR0750-R |
| S/S Sheet L1000 | 507/SMR1000-S | S/S Box L1000  | 507/SMR1000-R |
| S/S Sheet L1250 | 507/SMR1250-S | S/S Box L1250  | 507/SMR1250-R |
| S/S Sheet L1500 | 507/SMR1500-S | S/S Box L1500  | 507/SMR1500-R |
|                 |               |                |               |

| 507/008024  | Aluminium 4 Tier   | 507/008114   |
|-------------|--|--|
| 507/008025  | Aluminium 4 Tier   | 507/008115   |
| 507/008026  | Aluminium 4 Tier   | 507/008116   |
| 507/008027  | Aluminium 4 Tier   | 507/008117   |
| 507/008028  | Aluminium 4 Tier   | 507/008118   |
| E07/00004.4 | 01/01 - 1 4 T  | 507/000000   |
| 507/020014  |  | 507/020020   |
| 507/020015  | St/Steel 4 Tier  | 507/020021   |
| 507/020016  | St/Steel 4 Tier  | 507/020022   |
| 507/020017  | St/Steel 4 Tier  | 507/020023   |
| 507/020018  | St/Steel 4 Tier  | 507/020024   |
|             | 507/008025<br>507/008026<br>507/008027<br>507/008028<br>507/020014<br>507/020015<br>507/020016<br>507/020017 | 507/008025 Aluminium 4 Tier<br>507/008026 Aluminium 4 Tier<br>507/008027 Aluminium 4 Tier<br>507/008028 Aluminium 4 Tier<br>507/020014 St/Steel 4 Tier<br>507/020015 St/Steel 4 Tier<br>507/020017 St/Steel 4 Tier |

#### **TROLLEYS & TRAYS CONTAINERS RANGE**



#### **Attached Lidded Containers**

Tamper resistant hinges with interlocking lids as standard. Openings for standard loops seals and rivets. Manufactured in first grade or recycled polypropylene and available in black or blue. To suit a wide range of applications whether automated or manual, this range offers maximum security for distribution. Sizes shown below are external.

| 22L | L400 x W300 x H265mm  | 522/01222L |
|-----|-----------------------|------------|
| 25L | L400 x W300 x H306 mm | 522/01225L |
| 48L | L600 x W400 x H264mm  | 522/01248L |
| 54L | L600 x W400 x H306mm  | 522/01254L |
| 65L | L600 x W400 x H365mm  | 522/01265L |
| 70L | L600 x W400 x H400mm  | 522/01270L |
| 80L | L710 x W460 x H368mm  | 522/01280L |



#### Dolay Classic - 600L

Manufactured in structural foam they are easy to clean, resistant to corrosion and durable. Capacity is 700kg and they can stack 6 high with a total load of 4000kg. Dolavs available in red, blue, green, grey and yellow. Lids are available in grey.

| 600L | L1200 x W1000 x H740 mm | 522/600LDOLAV |
|------|-------------------------|---------------|
| Lid  | L1200 x W1000 xH55mm    | 522/600LLID   |



#### **Bakery Trays**

Range of stacking trays choice of fully perforated, fully solid and perforated with a solid base. All sizes available in white only.

| 22L Perf                 | L762 x W457 xH92mm  | 522/00922LP |
|--------------------------|---------------------|-------------|
| 22L Solid                | L762 x W457 xH92mm  | 522/00922LS |
| 22L Perf & Solid<br>base | L762 x W457 xH92mm  | 522/00922LW |
| 32L Perf                 | L762 x W457 xH123mm | 522/00932LP |
| 32L Solid                | L762 x W457 xH123mm | 522/00932LS |
| 32L Perf & Solid<br>base | L762 x W457 xH123mm | 522/00932LW |
| 48L Perf                 | L762 x W457 xH176mm | 522/00948LP |
| 48L Solid                | L762 x W457 xH176mm | 522/00948LS |
| 48L Perf & Solid         | L762 x W457 xH176mm | 522/00948LW |



#### Stainless Steel Ingredients Bin

316 grade stainless steel construction ingredients bin with solid base and sides. Removable hinged lid with handle and cut out in top.

| 61L L590  | x W290 x H740 | 548/039004 |
|-----------|---------------|------------|
| 87L L590  | x W380 x H740 | 548/039005 |
| 132L L590 | x W530 x H740 | 548/039006 |



#### Stacking Containers

The range includes three standard base sizes with a choice of heights, as well as solid or perforated sides and bases. Suitable for working temperature range of -30° -80°. 15L, 20L, 23L and 46L available in red, blue and grey. 34L available in red, blue, white, grey, green, yellow, white and orange. 78L with hand holds available in grey only. Dolly available in red, blue, yellow, green and black.

| 15L   | L400 x W300 x H175 mm | 522/005000 |
|-------|-----------------------|------------|
| 20L   | L400 x W300 x H235 mm | 522/005001 |
| 23L   | L600 x W400 x H120 mm | 522/005002 |
| 34L   | L600 x W400 x H175 mm | 522/005003 |
| 46L   | L600 x W400 x H235 mm | 522/005004 |
| 78L   | L600 x W400 x H400 mm | 522/005005 |
| Dolly | L640 x W440 x H160 mm | 522/005DL  |



#### **Ingredient Trucks**

Available in three capacities - 61, 87 and 132 litres. The trucks come complete with a removable lid for cleaning and refilling, along with a transparent front access flap. These are all fitted with 4x75mm diameter swivel castors. Colours available are red, blue, green, yellow, orange, pink, purple, black, grey and white.

| 61L  | L590 x W290 x H740mm | 522/007006 |
|------|----------------------|------------|
| 87L  | L590 x W380 x H740mm | 522/007007 |
| 132L | L590 x W530 x H740mm | 522/007008 |

#### ALL SIZES SHOWN ARE EXTERNAL DIMENSIONS. CALL FOR PRICING



#### **Bale Arm Crates**

Stackable and nestable to maximize space in transport and in storage when not in use. Single and double dollies available to suit. 16L and 28L are dual height crates. Black food crates are not food grade material.

| 15L (Blue)    | L400 x W300 x H180 mm | 522/00815L  |
|---------------|-----------------------|-------------|
| 16+10L (Blue) | L600 x W400 x H106 mm | 522/00816L  |
| 28+21L (Blue) | L600 x W400 x H167 mm | 522/00828L  |
| 35L (Blue)    | L600 x W400 x H199 mm | 522/00835BL |
| 35L (Green)   | L600 x W400 x H199 mm | 522/00835G  |
| 35L (Red)     | L600 x W400 x H199 mm | 522/00835R  |
| 35L (Black)   | L600 x W400 x H199 mm | 522/00835BK |
| 44L (Blue)    | L600 x W400 x H253 mm | 522/00844BL |
| 44L (Black)   | L600 x W400 x H253 mm | 522/00844BK |



#### **Ingredient Dispensers**

Dispensers designed for ingredient storage. Available in three capacities - 21, 63 and 90 litres and a wide choice of colours. Internal restricting plates regulate the flow rate. Colours available are: red, blue, green, yellow, orange, pink, purple, black, grey and white.

| 21L | L205 x W474 x H424 mm | 522/00421L |
|-----|-----------------------|------------|
| 63L | L280 x W616 x H674mm  | 522/00463L |
| 90L | L410 x W600 x H673mm  | 522/00490L |



#### 180° Stack/Nest Container

These food grade polypropylene containers nest up to 73% saving you valuable space. Choice of 2 depths 32L (perforated), and 50L. Choice of colours available.

| 32L Perf  | L600 x W400 x H200 mm | 522/01032LP |
|-----------|-----------------------|-------------|
| 32L Solid | L600 x W400 x H200 mm | 522/01032LS |
| 50L Perf  | L600 x W400 x H300 mm | 522/01050LP |
| 50L Solid | L600 x W400 x H300 mm | 522/01050LS |

#### 30 x 18" & Gastronorm Trolleys



Anti - shave Runners



300kg Load capacity Maximum 20kg per shelf

Temperature -40°C to +80°C

Nylon (standard) Poly Tyred







#### **Gastronorm Trolleys**

#### Tray Configuration Options



#### 30 x 18" Trolleys



Features: Capacity dependent on number of tiers. 2 fixed and 2 swivel castors. 25mm wide runners. Ø100mm nylon wheels as standard. Alternative tray capacities and pitches available.

Options: 42mm wide runners. 10 -18 tiers. Front hinged locking gates. Sheet top. Backstop. Various wheel options (shown below).

18 Tier L 795 x W520 x H1830mm 534/000

### TROLLEYS & TRAYS

#### 2/1 Gastronorm Trolleys



Features: 13 standard tray capacity. Radiused rim support runners on a 125mm pitch. Mid-height tie. 2 fixed and 2 swivel castors. Ø100mm nylon wheels as standard. Alternative tray capacities and pitches. 25mm air gap for chilling and cooking efficiency.

Options: Available in various tray configurations (opposite). Front hinged locking gates. Sheet top. Backstop. Various wheel options (shown below).

534/000 12 Tier L675 x W598 x H1774mm 534/014077

#### 30 x 18" Trays



30 x 18" Pot Insert Trays



30 x 18" Flat Trays



30 x 18" Perforated Trays






#### Plastic Tray Storage Rack

11 tier modular design racking for storage of plastic 600x400x150mm trays in a freezer or chiller environment. Purchase the number of bays you require to create your ideal configuration.

Plastic Tray Racking

511/010



#### **Gastronorm Plain Trays**

Available in stainless steel and polycarbonate. Strong yet lightweight construction. Radiused corners for ease of cleaning. Extensive range of size and depth options. Extras include lids, handles and trolleys. Eco plain tray-satin finished. Deluxe plain tray-electro-polished with reinforced rim.



#### **Gastronorm Perforated Trays**

Available in stainless steel and polycarbonate. Extensive range of size and depth options. Extras include lids, handles and trolleys. Available in Eco or Deluxe.



#### Gastronorm Filtration Trays

Stainless steel gastronorm trays for thawing applications. 1/1 thawing sets. Ideal for thawing or separation of solids from liquids. Perforated tray holds 65% of the volume of filtration tray (see diagram)

|   | Filtration | L530 x W325 x H100mm | 515/1X1100S  |
|---|------------|----------------------|--------------|
| Г | Perf Tray  | L530 x W325 x H65mm  | 515/1X1065PZ |

#### **TROLLEYS & TRAYS**



#### **Freezer Trolley**

10 tier freezer trolley with 4 swivel castors. Various wheel/base/tier options available. 25mm optimum airflow spacing with waterproof sealed joints and welded end ties per shelf. Anti-freeze wheel assembly and interlocking shelf to post for strength.

10 tier L1200 x W 700 x H1860mm

506/003101



# Tralley of





#### **Tray Stands**

304 grade stainless steel. Adjustable foot for levelling. High or low version available.

#### **Aluminium Trolleys**

 $1\times10$  trolley -capacity for  $10\times120$ mm deep trays. Runner pitch -150mm.  $1\times7$  and  $2\times5$  trolleys - designed for 175mm deep trays. Runner pitch - 226mm.

| High | L610 x W410 x H700mm | 548/003027 |
|------|----------------------|------------|
| Low  | L610 x W410 x H100mm | 548/003028 |

| 1x10 | L630 x W477 x H1715 mm | 534/010024 |
|------|------------------------|------------|
| 1x7  | L630 x W477 x H1800mm  | 534/021003 |
| 2x5  | L830 x W677 x H1350mm  | 534/021004 |

#### \*\*WIDE RANGE OF TRAY TYPES AND SIZES AVAILABLE CALL FOR DETAILS\*\*



#### **HDP Cutting Board Trolley**

Cutting board trolley with space to house 36 x HDP cutting boards. 4 x swivel braked castors for manoeuvrability.

| Trolley | L600xW500xH1670mm | 525/002000 |
|---------|-------------------|------------|
|         |                   |            |





Aluminium construction.  $6 \times 29$  litre container capacity. Inclined shelves with front stop, for controlled loading and product access. 29L capacity plastic containers and lids with radiused corners available in 5 colours.

| 3 Tier    | L945 | Х | W440 | x H1500 mm | 534/021018 |
|-----------|------|---|------|------------|------------|
| Container | L456 | Х | W366 | x H270mm   | 522/30LING |



#### 1x3 Ingredient Trolley

3 tier ingredients trolley designed to hold 3  $\times$  29L containers (sold separately). Inclined shelving for controlled loading and easy product access.

| 1x3 Trolley | L516xW440xH1500mm | 534/022005 |
|-------------|-------------------|------------|
|             |                   |            |





#### Fold Away Sack Trucks

Stainless steel folding base sack truck. Reinforced folding base plate. Tubular pushing handles. Nonmarking rubber wheels. Width 245mm when folded\*.



#### Mobile Kick Dolly

Mobile frame with 4 swivel castors featuring plastic base. Can be used with an 8 litre bowl or 12 litre bucket, both sold separately. Ideal for maintaining high levels of



#### Rimmed Platform Trolley

Robust supporting framework. Reinforced sheeted base. Tubular push handles. Braked swivel poly tyred wheels. Load capacity 300kg.

L515 x W565 x H1200mm 558/007013



Ø410mm Dolly

548/065001

L900 x W600 x H1000mm 558/001065 Trolley



#### **Open Corner Eco Dolly**

304 grade stainless steel eco dolly with open corners. 2 fixed and 2 swivel 100mm castors with nylon wheels. Holds 2 off 600x400mm tapered plastic trays. Handle optional. Trays sold separately.



#### 2 & 3 Tier Serving Trolleys

Poly tyred wheels for sound insulation. Wall protection bumpers. Locking brakes. Shelf clearance (2 tier) 585mm, (3 tier) - 275mm. Shelf dimensions - L800 x W 500mm. 40kg capacity per shelf.



#### **Circular Dollies**

Circular dollies manufactured for standard and non-standard drums to suit individual applications. Lightweight and extremely manoeuvrable. Easy to clean, crevice-free construction ideal for busy production areas.

| Standard    | L870xW680xH178mm | 509/015057-S |
|-------------|------------------|--------------|
| With handle | L870xW680xH848mm | 509/015057-H |

| 2 tier | L900 x W600 x H950mm | 555/SW8X5-2 |
|--------|----------------------|-------------|
| 3 tier | L900 x W600 x H950mm | 555/SW8X5-3 |

| Open   | Ø 599 x H209mm | 509/007061 |
|--------|----------------|------------|
| Closed | Ø 630 x H192mm | 509/007066 |



#### **Light Duty Eco Dollies**

Standard zinc plated castors. 200kg capacity. Optional stainless steel castors available, call for pricing.

| 600x400mm L610 x W410 x H171mm | 509/015002 |
|--------------------------------|------------|
| 30 x 18" L772 x W467 x H171mm  | 509/015003 |



#### **Medium Duty Roller Bogies**

304 grade stainless steel. Stackable. 250kg capacity.

| 600 x 400r     | nm L610 x W410 x H170mm | 509/020001 |
|----------------|-------------------------|------------|
| 600 x 400r     | nm*L570 x W370 x H170mm | 509/020007 |
| 30 x 18"       | L770 x W465 x H168mm    | 509/020005 |
| *To quit topor | nd trave                |            |



#### **Heavy Duty Roller Bogies**

304 grade stainless steel. Stackable. 350kg capacity.

| 0001 | 600 x 400mm         | L610 x W410 | x H164mm | 509/010001 |
|------|---------------------|-------------|----------|------------|
| 0007 | 600 x 400mm*        | L570 x W370 | x H170mm | 509/010037 |
| 0005 | 30 x 18"            | L792 x W483 | x H162mm | 509/010005 |
|      | *To suit tanered to | avs         |          |            |

#### **TROLLEYS & TRAYS EURO CONTAINER & TRAY HANDLING**





#### Single Column Tray Tipper

Tray tipper designed to lift and transfer trays while reducing manual handling risks. Lifting carriages, column heights and tipping profiles designed to suit individual handling applications. Safe working load of 100kg.

Single Column Tray Tipper



#### **Industrial Tray Washer**

Washing system for trays with rotating arms for thorough cleaning. Designed for solving all the problems associated with washing trays up to 1000 x 800mm. Cutting down on washing costs while ensuring a consistent, high level of hygiene. Dimensions dependent on model chosen.

Industrial Washer



#### **High Speed Tray Tipper**

Product or ingredient trays can be manually loaded into the lift carriage by the operator. This allows batch production to be completed off-line and brought to the tipper from warehousing or WIP. Nominal capacity of 50kg. Up to 1.2m/sec lift speed.

High Speed Tipper 600/HS2

Multihead Weigh Pan Wash Wall

Wash wall accommodates 7 x multihead weigh buckets to ensure a thorough clean of the buckets. Base has a removable perforated drain cover with drain outlet for easy washdown.

Wash Wall L2052 x W546 x H1830mm

Multi-Purpose Lifter

Multipurpose battery operated lifter with various lifting attachments available. Low profile front frame for movement under machinery, pallets and racking. Supplied with two battery packs and a charger.

600/MH1

600/WW Battery Operated Lifter



#### Tray Wash Rack

Rack to assist with washing trays. 304 grade stainless steel. Accommodates  $600 \times 400$ mm trays. Perforated shelving for drainage. Holds trays at an angle of  $14^{\circ}$  to help access all of the tray interior when cleaning.

Wash Rack L1460 x W540 xH1825mm

548/003059

Contact our project team to discuss your tray handling or washing needs today

#### **EURO CONTAINER HANDLING TROLLEYS & TRAYS**



#### General Purpose Trolley - 120kg

2 swivel and 2 braked castors make this general purpose trolley fully mobile. Open dispenser with platform suspended on manually adjustable tension springs for stacking Euro containers. The spring system provides a consistent output height for unloading. SWL of 120kg. Euro containers sold separately.

GP Trolley L805 x W710 x H900mm 55



#### **Picking Trolley**

Transport trolley with a capacity of 12 x Euro containers. Constructed from stainless steel for hygiene to pick and transport large quantities of goods in Euro containers. 2 swivel castors and 2 braked castors for mobility. SWL of 350kg. Additional model available includes fixed shelf. Euro containers sold separately.

| With shelf    | L970 x W695 x | H1715mm | 558/000 |
|---------------|---------------|---------|---------|
| Without shelf | L970 x W695 x | H1715mm | 558/000 |



#### Mobile Shelving- Sheet Shelves

Mobile shelving unit for transport and intermediate storage of up to 12 x Euro containers. SWL of 240kg. 2 swivel and 2 braked castors for mobility. 4 x solid stainless steel shelves hold 3 x Euro containers each. Euro containers sold separately.

Mobile shelves L1370 x W670 xH1650mm 558/000



#### **Euro Container Dolly**

Mobile platform with sliding handle for Euro containers. Platform has all round edging and bumpers to ensure the stability of the Euro containers during transport.

L476 x W800 x H800mm

#### **Basket Dolly**

Basket roller dolly is a moveable platform with no handle for transporting Euro containers. This space saving option has raised welded sides which ensure the stability of the Euro containers during transport.

| 558/000ECD | Basket dolly | L429 x | W629 | x H629mm | 558/000BRD |  |
|------------|--------------|--------|------|----------|------------|--|



#### **Platform Dispenser**

Open dispenser with platform suspended on manually adjustable tension springs for transporting 2 stacks of Euro containers. The spring system provides a consistent output height for unloading. 2 swivel and 2 braked castors. SWL of 180kg. Euro containers sold separately.

| GP Trolley | L755 x | W1025 | x H980mm | 558/000 |
|------------|--------|-------|----------|---------|
|            |        |       |          |         |



#### **Production Trolley**

Transport trolley for up to 5 Euro containers. Lighter, smaller and more manoeuvrable trolley particularly suitable for narrow production areas or for picking smaller quantities. 2 swivel and 2 braked castors. SWL of 125kg. Euro containers sold separately.

Production L540 x W705 x H1530mm 558/000PRT



#### Mobile Shelving - Wire Shelves

For the transportation and intermediate storage of Euro containers (sold separately). Three lengths available. 2 swivel and 2 braked castors. Welded shelf bolts are distanced 75mm apart for the installation of wire shelving (sold separately). Shelving can house between 1-5 wire shelves providing flexibility.

| 500x600  | L670 x W570 x H1855mm  | 558/000 |
|----------|------------------------|---------|
| 1000x600 | L1070 x W670 x H1855mm | 558/000 |
| 1400x600 | L1470 x W670 x H1855mm | 558/000 |



#### **Euro Container Weigh Scale**

Euro container weigh scale designed for hygiene conscious industries. Mettler Toledo weigh head for accuracy. Scale top to suit Euro containers (maximum size accommodated 800 x 600mm). SWL options include 250kg, 500kg or 1000kg. Reliable mains operation. Call for more information and pricing.

Euro Container Weigh Scale 600/EWS



#### **Document Holders**

304 grade stainless steel. Wall mountable holders. Extremely durable. Stackable holders sold as single units (stack of 5 units shown in picture).

| A4 Landscape            | 548/036033 |
|-------------------------|------------|
| A4 1/2 Height Landscape | 548/036032 |
| A4 Portrait             | 548/036040 |
| A3 Landscape            | 548/036035 |
| A4 Stackable            | 548/036074 |



#### Clipboards

304 grade stainless steel. Portrait format. Complete with stainless steel clip. Three versions - A3, A4 and an A4 hanging version.

| A4 Size              | 523/A4CLIPBO |
|----------------------|--------------|
| A3 Size              | 523/A3CLIPBO |
| A4 Hanging Clipboard | 523/CLIPBOH  |



#### **Lever Arch Files & Ring Binders**

Durable and lightweight. Can be laser etched. A4 size.

| Stainless Steel Arch File | 523/A4ARCH    |
|---------------------------|---------------|
| 2 Ring Aluminium          | 523/A42RING   |
| 4 Ring Aluminium          | 523/A44RING   |
| 2 Ring Stainless Steel    | 523/A42STRING |
| 4 Ring Stainless Steel    | 523/A44STRING |



#### **Desk Document Holders**

Horizontal desk document holder is 6 tiers. Vertical desk document holders come in a range of 3-6 positions.

| A4 6 tier holder | 548/036047 |
|------------------|------------|
| A4 3 position    | 519/001111 |
| A4 4 position    | 519/001113 |
| A4 5 position    | 519/001112 |
| A4 6 position    | 519/001110 |



#### **Filling Cabinets**

Stainless steel lockable filing cabinets available 2, 3 or 4 drawers. 4 adjustable feet for stability.

| 2 Dr | L500 x W524 x H703mm  | 519/006071 |
|------|-----------------------|------------|
| 3 Dr | L500 x W524 x H1015mm | 519/006072 |
| 4 Dr | L500 x W524 x H1327mm | 519/006073 |



#### **Lockable Toolboxes**

Stainless steel toolboxes. Fully welded design. Hinged lid. Front fixed handle. Hasp and staple lock.

|  | Single Un | it L452 x | W204 x H95mm | 548/003032 |
|--|-----------|-----------|--------------|------------|
|--|-----------|-----------|--------------|------------|



#### Mobile Folder Holder

Steel castors

| A3 L | .456 x W500 x H1408mm | 548/036102    |
|------|-----------------------|---------------|
| A4 L | 340 x W500 x H1408mm  | 548/036102-A4 |



#### A4 Paper Holder

Mobile folder holder available for the storage of A3 or A4 Designed for the protection of loose papers. This wall folders. Made from 304 grade stainless steel. Stainless mounted landscape holder is durable and hygienic.

| Paper Holder L333 x W50 x H250mm 548/036033-P |
|---|
|---|





#### Menu Holders

Stainless steel menu holder/stand for use in hygienic environments.

| A3 Menu Holder Landscape | 548/036081 |
|--------------------------|------------|
| A4 Menu Holder Landscape | 548/036082 |
| A4 Menu Holder Portrait  | 548/036083 |



#### Scoops

Crevice-free 316 grade stainless steel. Standard scoops available in 10-5000ml, call for more information.

| Baler Scoop 1000ml    | 523/004160 |
|-----------------------|------------|
| Flat Scoop            | 523/004131 |
| Open Scoop 500ml      | 523/004101 |
| Open Scoop 1000ml     | 523/004103 |
| Standard Scoop 500ml  | 523/004110 |
| Standard Scoop 1000ml | 523/004112 |



#### **Buckets**

Buckets made from 304 grade stainless steel in a range of sizes. Graduated design with a standing rim.

| 10 Litre Bucket | 523/M55305 |
|-----------------|------------|
| 12 Litre Bucket | 523/M55306 |
| 15 Litre Bucket | 523/M55307 |
| 10 Litre Lid    | 523/L1D    |
| 12 Litre Lid    | 523/L2D    |
| 15 Litre Lid    | 523/L5D    |



**Bucket Stand** 

304 grade stainless steel bucket stands.

| Bucket Stand  | Ø318 x H850mm  | 548/003047 |
|---------------|----------------|------------|
| Tubular stand | Ø274 x H 700mm | 548/003061 |



#### **Measuring Jugs**

Call for information on pricing. Open handles or closed handles available.

| Light Duty 0.1 Litre  | W75 x D45 mm   | 523/MEA40.1G |
|-----------------------|----------------|--------------|
| Light Duty 0.25 Litre | W100 x D70 mm  | 523/MEA4.25G |
| Light Duty 0.5 Litre  | W120 x D110 mm | 523/ME*40.5G |
| Light Duty 1 Litre    | W150 x D135 mm | 523/ME*4001G |
| Light Duty 1.5 Litre  | W155 x D150 mm | 523/ME*41.5G |
| Light Duty 2 Litre    | W170 x D200 mm | 523/ME*4002G |
| Heavy Duty 0.5 Litre  | W75 x D135 mm  | 523/JUM*0.5G |
| Heavy Duty 1 Litre    | W100 x D135 mm | 523/JUM*001G |
| Heavy Duty 2 Litre    | W135 x D170 mm | 523/JUM*002G |



#### **Manual Mixing Paddle**

316 grade stainless steel construction. Robust paddle blade with tubular handle for comfortable grip. Quantity discounts are available.

| ٠. |        |              |         |            |
|----|--------|--------------|---------|------------|
| ı  | Paddle | L1035 x W150 | x H95mm | 548/009011 |



#### Stainless "Sharp'Easy"

Designed to make sharpening knives easy. Stainless steel blade guides, with added layer of chrome. The blade guides can easily be removed and replaced. Can be easily removed from its mounting so that it can be washed and sterilised together with the mounting.

| Plastic Body | 523/SHARPEASY   |
|--------------|-----------------|
| All S/S Body | 523/SHARPEASYSS |



#### Wall Mounted Bottle Holders

Double and triple stainless steel wall mounted bottle holders available. Pre drilled for wall mounting. Two tier design with retention lip.

Maximum bottle diameter - 88mm

| Dοι  |           | r L240 x W150 x H132mm | 548/036048 |
|------|-----------|------------------------|------------|
| Trip | le holder | L360 x W150 x H132mm   | 548/036049 |

SYSPAL have a wide range of accessories, if you don't see what you require here please give us a call on +44(0)1952 883188



#### Standard Eurobins

Unique reinforced rim to ensure rigidity of the buggy. Manufactured to DIN 9797 and fully compatible with standard lifters. Additional base plate 3mm thick. Reinforced axle with diamond wheel pattern for easy manoeuvrability.

| 120L | L540 x W540 x H600mm | 520/400456M |
|------|----------------------|-------------|
| 200L | L730 x W680 x H700mm | 520/400106M |
| 300L | L730 x W680 x H950mm | 520/400443M |

Optional Extras



Plates



Etching







Discharge Wheels Valves



Also available in dark green, orange, pink, brown, purple, grey and black.

#### Polyethylene Eurobin Lids


Food grade polyethylene. Standard colours include: red, yellow, green, blue and white.

L750 x W700mm 522/200BL



Mobile Rolled Rim Tanks
Manufactured from 304 grade stainless steel. Crevicefree fully welded construction for strength and durability. Corner drain with cap and screw plug. Diamond pattern Ø150mm polyamide wheels for ease of manoeuvrability.

| 300 L | L990 x W690 x H680mm  | 520/N3069203 |
|-------|-----------------------|--------------|
| 450 L | L1156 x W756 x H800mm | 520/N3071201 |



#### Tank & Trough Lid Options

Available in hinged in full, long and short. Long hinged models run down the length of the lid, short hinged models run across the width of the lid. Lids also available for the mobile rolled rim tanks.

| Full     | 520/0000   |
|----------|------------|
| Short    | 520/001076 |
| 300L rim | 520/001063 |
| 450L rim | 520/001062 |



#### Standard Polyethylene Eurobins

Available in 5 colours for easy identification. Quieter than standard Eurobins. With lifting lugs.

| 200L | L725 x | W675 | x H735mm | 520/200L |
|------|--------|------|----------|----------|



Insulated Eurobins
Insulated body enables product to be kept at a constant temperature. \*200L bin comes with insulated lid.

| 160L  | L700 x W700 x H710mm | 520/3000-060     |
|-------|----------------------|------------------|
| 200L* | L690 x W675 x H710mm | 520/3000-5911000 |



#### Stainless Steel Eurobin Lids

304 grade stainless steel. Available in 3 variations.

| Open Corner                                 | L715 x W680mm | 520/001201 |
|---|---------------|------------|
| Welded corners                              | L750 x W680mm | 520/001098 |
| Welded corners<br>with handles and<br>hooks | L750 x W680mm | 520/001054 |



#### **Eurobin Pushing Handle**

Ergonomic retrofit pushing handle optional to all Eurobin sizes. Slips over existing handle to raise the working height.

| ı | Pushing Handling | 520/001047 |
|---|------------------|------------|
| r |                  |            |



Clean Line handling equipment range compatible base

#### Clean Line Eurobins

Detachable wheel base keeps germs on the floor. Base available that is compatible with our range of Clean Line Eurobin handling equipment. Call for more information.

| 3MNW   |
|--------|
| 00L020 |
| F-1000 |
|        |



#### **Chuted Eurobins**

Optimised for liquid based and small products. Solid chute to front. Reinforced base up to 5mm thick.

| 200L | L730 x W680 x H950mm  | 520/400109M |
|------|-----------------------|-------------|
| 300L | L730 x W680 x H1200mm | 520/400444M |



#### **Eurobin Rim Filter Tray**

Separation of liquid from product. 3mm diameter base perforations on 10mm centres. Lifting handles. Bespoke trays available with varying depths, perforation size etc;

| D 100mm | L768 x W618 x H115mm  | 520/007002 |
|---------|-----------------------|------------|
| D 200mm | 1 768 v W618 v H215mm | 520/007010 |



#### **Mobile Mixing Troughs**

Stainless steel construction. Crevice free. 4 x 150mm polyamide wheels. 2 braked swivel and 2 fixed action wheels. Drain with screw plug.

| 200L | L1200 x W654 x H860mm      | 520/004012 |
|------|----------------------------|------------|
| 345L | L1400 x W650 x H860mm      | 520/004015 |
| 040L | L1400 X VV000 X11000111111 | 320/004013 |

# FULL RANGE OF EUROBIN MECHANICAL HANDLING & PROCESSING EQUIPMENT AVAILABLE CALL FOR MORE INFORMATION

#### **Eurobin Storage**

Call for pricing and further information





#### **Eurobin Wash Frame**

The SYSPAL Eurobin wash frame is the most cost effective way to handle Eurobin containers for safe and effective manual wash down applications. Pneumatically driven single and double wash frames also available, call for more information.

Wash frame L890 xW790 xH1120mm

600/BW100







#### Disposable Cover/Roll Racks

Mobile dispenser unit for storage of Eurobin or Dolav disposable film reels/covers. Eurobin cover rack has 5 tiers and the Dolav film reel rack has an option of 1 or 3 tiers. Spindles for dolav film reel rack sold separately.

| L767 x W740 x H1696mm  | 548/016143   |
|------------------------|--|
| L740 x W720 x H1394mm  | 548/016035   |
| L800 x W250 x H250mm   | 548/016025   |
| L1420 x Ø60mm          | 548/016243-SP  |
| L1420 x W720 x H1394mm | 548/016244   |
| L1580 x W720 x H1394mm | 548/016243   |
|                        | L740 x W720 x H1394mm<br>L800 x W250 x H250mm<br>L1420 x Ø60mm<br>L1420 x W720 x H1394mm |



#### **Product Discharge Valves**

Custom fitments available for effective product discharge slipper or 90 degree elbow. Ball or butterfly valve. Optional RJT coupling.

# FREE SAMPLE PACK

DISPOSABLE EUROBIN COVERS SAMPLE PACK AVAILABLE CONTACT US TODAY!



Now available in 5 colours



One for every day of the working week



Ideal for batch or stock identification



Easy to use



The covers meet the BRC Global Food Standard and are certified under EC directive 10/2011/EC

#### **HYGIENE STATIONS**



#### **Hygicontrol Compact Units**

300mm brush length. Compact walk through design. Inbuilt hand sanitiser. Sole and side brushes. Bi-directional. Vertical brushes. Lockable chemical cupboard.

1 Unit L2610 x W1260 x H1630mm 567/URK/V300



#### Compact Boot & Sole Scrubber

Easily clean clogs or boots sides and soles at the same time or separately. Ensures the washing and disinfection of uppers and soles. Small footprint with easy maintenance.

Compact Unit L845 x W711 x H1095mm 567/19096



#### **Boot and Sole Scrubbing Units**

Ensures a thorough cleaning of boots before entering or exiting production. Sanitises during the cleaning process. Brushes easily removed for maintenance.



#### **Sole Scrubbing Units**

Automatic dosing inbuilt detergent. Slim design. Available in different lengths, or with an additional three vertical boot cleaning brushes.



#### **Eco Compact Boot Washers**

Compact and economical. One rotating sole brush. Two rotating side brushes. Measured detergent dosage from pump

1 Unit L1300 x W960 x H1220mm 567/DR400V300 Sole Scrub L1760 x W750 x H1430mm 567/DR/1000 1 Unit L841 x W456 x H1094mm 567/10397



#### **Compact Corridor Boot Washers**

Individual boot scrubbing section with central sole scrubbing. Inbuilt detergent. Bi-directional. Horizontal brushes. Hinged panels. Washdown hose and gun assembly.



567/5000



#### **Eco Manual Boot Wash**

Convenient and easy to use manual boot washer with small footprint. Drainage enclosure with water fed brush and hose. Hand rail for support, foot operated valve. Plumbing requirements: Min pressure-10psi. Inlet- $\emptyset$ 15mm. Outlet:1½" (M) BSP. Recommended pipe- $\emptyset$ ¾".





#### **Boot Washer**

By directional walkthrough boot washer complete with slopping red brushes to suit welington boots sensor activated.

521/002022 L2600 x W1000 x H1250mm

567/DR1400-B6

#### **HYGIENE STATIONS**



#### **Exit Turnstiles**

Mechanically or electronically controlled turnstile. Effectively controls the flow of operatives through hygiene equipment. Pedestal mounted.

| Mechanical | L670 x W876 x H1090mm | 567/DK |
|------------|-----------------------|--------|
| Electrical | L670 x W876 x H1090mm | 567/DK |



#### Soap or Sanitising Turnstiles

Turnstile access is permitted when both hands have been soaped. Turnstile available with sanitiser or soap. Lockable cupboard to house soap or sanitising solution. Right and left hand options available.

| T         | 1.005 14/000 114 405   | FOZ/LIDIZT |
|-----------|------------------------|------------|
| Turnstile | L835 x W890 x H 1425mm | 567/HDKT   |
|           |                        |            |



#### **Boot Washer Trough**

Free standing wash trough with a 16 pair boot rack. Fixings provided for wall mounting. 4 adjustable feet. 304 grade stainless steel. Inline dosatron unit (requires fitting) as standard, also available without dosatron unit. Dimensions L1089 x W400 x H1800mm.

| Boot Wash   | 521/001021    |
|-------------|---------------|
| No Dosatron | 521/001201-ND |



#### Squeegee Mop Trough

304 grade stainless steel. Designed for sanitising sponge style squeegee mops. Drainage hole allows user to drain sanitising fluid after use.

| 4 1 1 4 4 | L 000 M/000 L 14 4 F0 | • |
|-----------|-----------------------|---|

1 Unit L1025 x W354 x H1700mm

mm 521/001016



#### Apron Wash Station

304 grade stainless steel. Wall mounted apron wash trough. 3 fixing hooks for aprons. Hand held water brush. Shower head with water valve. 1½" BSP outlet on left hand side. 2 adjustable levelling feet and 2 wall brackets.

C Delfest I COO...M

Belfast L622xW989xH1807mm 517/001210



Bootwash belfast sink including rear upstand. Two water fed hand brushes and two pairs of boot support prongs are used to clean up to two pairs of boots. Removable standpipe strainer and optional automatic chemical dosing. Bowl depth 520mm.

**Bootwash Belfast Sink** 



548/016007



#### **Manual Boot Washers**

Robust and easy to clean boot washers with drainage enclosure, water fed brush and hose. Hand rail. Adjustable feet. Plumbing requirements: Min pressure-10psi. Inlet-Ø15mm. Outlet:11/2" (M) BSP. Recommended pipe-Ø3/4".

| 1 Station | L610 x W650 x H1100mm  | 521/002001 |
|-----------|------------------------|------------|
| 2 Station | L1110 x W650 x H1100mm | 521/002002 |
| 3 Station | L1610 x W650 x H1100mm | 521/002003 |
| 4 Station | L2097 x W650 x H1100mm | 521/002004 |



#### Pallet Racking

304 grade stainless steel construction, designed to be used in all environments. Add on bays available three positions including floor.

| Main bay      | 507/007001 |
|---------------|------------|
| Double add on | 507/007002 |
| Single add on | 507/007003 |







#### **Double Skid Pallets**

| 850kg  | L1200 x W800 x H150mm  | 501/006001 |
|--------|------------------------|------------|
| 850kg  | L1200 x W1000 x H150mm | 501/006005 |
| 1000kg | L1200 x W800 x H160mm  | 501/002009 |
| 1000ka | L1200 x W1000 x H160mm | 501/002008 |

#### Triple Skid Pallets

| 1000kg                        | L1200 x W800 x H160mm | 501/009001 |
|-------------------------------|-----------------------|------------|
| 1500kg L1200 x W1000 x H160mm |                       | 501/009002 |

#### Four Block Feet Pallets

| 600kg | L1200 | x W800  | x H136mm | 501/003012 |
|-------|-------|---------|----------|------------|
| 600kg | L1200 | x W1000 | x H136mm | 501/003011 |

#### **Full Perimeter Base Pallets**

| 1000kg | L1200 x W800 x H160mm  | 501/001006 |
|--------|------------------------|------------|
| 1000kg | L1200 x W1000 x H160mm | 501/001004 |

#### Rimmed Pallet with Anti-Crash

Chamfered anti-crash profile. Rimmed edge. Ideal for high level racking and palletised racking systems. 20mm high full perimeter top prevents loads slipping. Capacity 1000kg.

| L1200 x W1000 x H180mm | 501/021000 |
|------------------------|------------|



#### Stainless Steel Pallecon

304 grade stainless steel 1000 x 1200mm pallecon stillage. Palletised top design. Heavy duty corner legs including cross ties. Under frame suitable for fork or hand pallet truck.

| L1020 x W1220 > | k H750mm | 501/015002 |
|-----------------|----------|------------|
|                 |          |            |



#### **Bespoke Pallets**

Whatever your needs, we have the solution. Aluminium, stainless steel, fork guides, security pallets and bespoke designs available.

Call our specialists today - +44 (0)1952 883188 or visit our website - www.SYSPAL.com



#### **PD3 Stacker**

Electro hydraulic power pack c/w stainless steel hydraulic ram, 304 Grade Stainless Steel, Raise and lower pushbuttons 'Hold to run' controls and is battery operated.

Call for further information



#### **Reel Rack Mobile**

- Max Reel Size: 350 Dia x 630mm Long
- Centre of core: 370
- 304 Grade Stainless Steel
- Cradle Design
- Pushing Handle Mobile on 2 fixed, 2 swivel castors
- Polytyred Wheels

786mm x 418mm x 1000mm

537/001280



#### Mobile Film Reel Trolley

- 3 x 2 Single Film Reel Rack
- 304 Grade Stainless Steel
- Cappacity: 6 Reels
- Reel Size: 400 Dia x 470mm Long
- Robust Framework
- Backing Channels
- Individual Location Prongs

1580mm x 665mm x 1200mm 537/001281



#### **Single Reel Trolley**

- Max Reel Size: 350 Dia x 630mm Long
- Centre of core: 370mm
- 304 Grade Stainless Steel
- Cradle Design
- Pushing Handle
- Mobile on 2 Fixed, 2 Swivel Castors
  - Polytyred Wheels


768mm x 418mm x 1000mm

537/001279



#### Reel Storage Rack

- Capacity: 12 Off Small 20 Kilo Reels
- 6-Off Jumbo 40 Kilo Reels 304 Grade Stainless Steel
- Robust Design
- Each Tier C/W 4 Semi Circular Support Prongs
- Fully Welded Design
- All Edges Deburred



#### Mobile Reel Cradle Rack

- Stainless steel foil reel racking system
- Capacity: approx 180 reels [3 per prong except upper tier]
- 304 Grade
- Modular design comprising of 2 sections, each section comprising of 36 prongs in a 9 long x 4 high arrangement Upper prongs 510 mm lg [  $15 \, \text{kilos}$  ]
- Remaining prongs 760 mm lg [ 45 kilos ]
- All prong ends sto be capped
- Base stabilizers + floor fixing plates
- All prong ends sto be capped
- Base stabilizers + floor fixing plates



1200mm x 580mm x 1700mm

537/001257

5700mm x 900mm x 1500mm 537/001121





#### Reel Storage Cabinet

- 304 Grade Stainless Steel
- Reel Storage Cabinet Capacity: 24 Reels
- Reel Size: 400mm Dia x 400mm High
- Core 70mm
- Weiaht: 50ka
- 6 Wide x 4 High Reel Location Prongs
- Inclined Sheeted Top
- Side Infill Panels
- Open Back
- Twin Lockable Hinged Doors 6 Legged Unit All Adjustable Feet

3300mm x 639mm x 2300mm 537/001153

SYSPAL can design a reel handling solution bespoke to your needs. Call us to discuss your reel handling needs today on 01952 883188

#### **Reel Lifter**

Cost effective battery operated lifter that is ideal for warehouse environments, storage facilities and packing areas.

- 304 stainless steel
- Supplied with 2 battery packs and a charger
- Quick release lifting attachments

Reel Lifter

600/MH1



## The full production solution for 200L and 300L Eurobins





















#### WEIGH

Syspal's Eurobin Weigh Scales are designed to eliminate the need for floor pits and ramps. Providing the most hygienic and operator safe weighing solution for the food manufacturing environment.



#### **STORE**

A modular Eurobin racking system that offers increased storage capacity and improved batch control. Bespoke factory layouts can be easily managed. Compatible with Syspal's Eurobin stacker.



#### MIX

Ideal for marinating, coating and infusing ingredients, Eurobin tumblers are designed to thoroughly mix ingredients without the use of mixing arms or paddles. This minimises the risk of product damage resulting in a high quality finished product.



#### LIFT / TIP

Use lifters or tippers whilst lifting and emptying Eurobins to their desired location. This eliminates manual handling which increases efficiency and also reduces the risk of injury to staff.




#### **WASH**

Allowing for 360° cleaning access, the Syspal wash frames reduce the risk of manual handling injuries and the risk of damage to both the Eurobin and the washroom floor, whilst improving throughput and hygienic practices.

# **Projects & Processing Solutions**

With over 40 years experience in design and manufacture, we can create innovative solutions for specific applications to overcome a range of production challenges.











SEE OUR FULL RANGE OF MECHANICAL HANDLING AND PROCESSING EQUIPMENT ONLINE OR REQUEST A BROCHURE TODAY





Speak to a member of the SYSPAL team today, to discuss how we can help turn concepts into reality. Our large manufacturing site is located near Ironbridge, a World Heritage location in Shropshire.



We manufacture at our own British high-tech facility using the latest equipment. We continually invest in new machinery and are fully accredited to ISO 9001:2015 amongst others and are regularly audited by BSi.



#### **MANAGEMENT**

We don't just sell you the finest equipment, we also manage your account. We understand your needs and best fit solutions for applications through many years of experience.



We employ specialist fully trained site fitters to ensure installation to the highest standards.

We are Safe Contractor approved.



#### DESIGN

We employ 22 full time design engineers to ensure compliance with all relevant standards and to provide well engineered solutions for you, the customer.



#### **FINANCING**

Many customers have their own finance in place, however for some this can be a minefield.

Discuss leasing our products with us today.



#### SUPPORT

We have an in-house dedicated service department to look after you and your equipment. Should you or your equipment ever need us, rest assured we will be there to support you in your hour of need.



#### SYSPAL Ltd

Broseley, Telford, Shropshire, TF12 5JA.

All prices quoted exclude delivery and VAT unless otherwise stated. SYSPAL Ltd reserves the right to change prices and specifications without notice.

All orders are subject to SYSPAL Ltd Terms and Conditions\*

\* Terms and conditions apply. Subject to status.



